

RIDGEWOOD RESEARCH - 2013 PRICE LIST



www.ridgewoodresearch.com
Tel + 1.289.724.2718
Canada



SECONDARY ANTIBODIES

Prod No	Description	Product Link - Click to Visit Web Page	Pkg Size - 1	Price (USD) - 1	Pkg Size - 2	Price (USD) - 2
G711	Donkey Anti-Goat IgG (H&L) - DyLight® 488 Adsorbed Against:	http://www.leinco.com/Secondary-Antibody/IgG-HL/PG711/-p-5457	0.5 mg	219		
G712	Donkey Anti-Goat IgG (H&L) - DyLight® 550 Adsorbed Against:	http://www.leinco.com/Secondary-Antibody/IgG-HL/PG712/-p-5458	0.5 mg	219		
G713	Donkey Anti-Goat IgG (H&L) - DyLight® 594 Adsorbed Against:	http://www.leinco.com/Secondary-Antibody/IgG-HL/PG713/-p-5459	0.5 mg	219		
G714	Donkey Anti-Goat IgG (H&L) - DyLight® 650 Adsorbed Against:	http://www.leinco.com/Secondary-Antibody/IgG-HL/PG714/-p-5460	0.5 mg	219		
G606	Donkey Anti-Goat IgG (H&L)-AMCA Adsorbed Against:	http://www.leinco.com/Secondary-Antibody/IgG-HL/PG606/-p-2453	0.5 mg	125		
G598	Donkey Anti-Goat IgG (H&L)-Biotin Adsorbed Against:	http://www.leinco.com/Secondary-Antibody/IgG-HL/PG598/-p-2442	0.6 mg	130		
G604	Donkey Anti-Goat IgG (H&L)-FITC Adsorbed Against:	http://www.leinco.com/Secondary-Antibody/IgG-HL/PG604/-p-2450	0.5 mg	110		
G505	Donkey Anti-Goat IgG (H&L)-Horse radish Peroxidase Adsorbed Against:	http://www.leinco.com/Secondary-Antibody/IgG-HL/PG505/-p-2375	0.4 mg	130		
G607	Donkey Anti-Goat IgG (H&L)-Purified No Carrier Protein Adsorbed Against:	http://www.leinco.com/Secondary-Antibody/IgG-HL/PG607/-p-2455	1.0 mg	90		
G601	Donkey Anti-Goat IgG (H&L)-Rhodamine Red Adsorbed Against:	http://www.leinco.com/Secondary-Antibody/IgG-HL/PG601/-p-2447	0.5 mg	110		
G602	Donkey Anti-Goat IgG (H&L)-Rhodamine TRITC Adsorbed Against:	http://www.leinco.com/Secondary-Antibody/IgG-HL/PG602/-p-2448	0.5 mg	110		
H1496	Donkey Anti-Human IgG Fc (Gamma), Fragment Specific - DyLight® 550 Adsorbed Against:	http://www.leinco.com/Secondary-Antibody/IgG-Fc-Gamma-Fragment-Specific/PH1496/-p-5471	0.5 mg	219		
H1495	Donkey Anti-Human IgG, Fc (Gamma) Fragment Specific - DyLight® 488 Adsorbed Against:	http://www.leinco.com/Secondary-Antibody/IgG-Fc-Gamma-Fragment-Specific/PH1495/-p-5470	0.5 mg	219		
H1497	Donkey Anti-Human IgG, Fc (Gamma) Fragment Specific - DyLight® 594 Adsorbed Against:	http://www.leinco.com/Secondary-Antibody/IgG-Fc-Gamma-Fragment-Specific/PH1497/-p-5472	0.5 mg	219		
H1498	Donkey Anti-Human IgG, Fc (Gamma) Fragment Specific - DyLight® 650 Adsorbed Against:	http://www.leinco.com/Secondary-Antibody/IgG-Fc-Gamma-Fragment-Specific/PH1498/-p-5473	0.5 mg	219		
H1506	Donkey Anti-Human IgM, Fc5µ Fragment Specific - DyLight® 594 Adsorbed Against:	http://www.leinco.com/Secondary-Antibody/IgM-Fc5Mu-Fragment-Specific/PH1506/-p-5544	1.0 mg	309		
H1500	Donkey Anti-Human IgM, Fc5µ Fragment Specific - DyLight® 650 Adsorbed Against:	http://www.leinco.com/Secondary-Antibody/IgM-Fc5Mu-Fragment-Specific/PH1500/-p-5475	1.0 mg	309		
H1499	Donkey Anti-Human IgM, Fc5µ Fragment Specific - DyLight® </sup 488 Adsorbed Against:	http://www.leinco.com/Secondary-Antibody/IgM-Fc5Mu-Fragment-Specific/PH1499/-p-5474	1.0 mg	309		
H1505	Donkey Anti-Human IgM, Fc5µ Fragment Specific - DyLight® 550 Adsorbed Against:	http://www.leinco.com/Secondary-Antibody/IgM-Fc5Mu-Fragment-Specific/PH1505/-p-5543	1.0 mg	309		
C1610	Donkey F(ab)2 Anti-Chicken IgY/IgG (H&L) - DyLight® 488 Adsorbed Against:	http://www.leinco.com/Secondary-Antibody/IgY/IgG-HL/PC1610/-p-5707	0.5 mg	249		
C1613	Donkey F(ab)2 Anti-Chicken IgY/IgG (H&L) - DyLight® 550 Adsorbed Against:	http://www.leinco.com/Secondary-Antibody/IgY/IgG-HL/PC1613/-p-5711	0.5 mg	249		
C1611	Donkey F(ab)2 Anti-Chicken IgY/IgG (H&L) - DyLight® 594 Adsorbed Against:	http://www.leinco.com/Secondary-Antibody/IgY/IgG-HL/PC1611/-p-5708	0.5 mg	249		
C1612	Donkey F(ab)2 Anti-Chicken IgY/IgG (H&L) - DyLight® 650 Adsorbed Against:	http://www.leinco.com/Secondary-Antibody/IgY/IgG-HL/PC1612/-p-5709	0.5 mg	249		

Ridgewood Research - Secondary Antibodies - Price List 2013

C1202	Donkey F(ab)2 Anti-Chicken IgY/IgG (H&L) Purified Adsorbed Against:	http://www.leinco.com/Secondary-Antibody/IgG/IgY-HL/PC1202-p-2805	0.5 mg	90
C1213	Donkey F(ab)2 Anti-Chicken IgY/IgG (H&L)-Alk Pho Adsorbed Against:	http://www.leinco.com/Secondary-Antibody/IgY/IgG-HL/PC1213-p-2825	0.3 ml	185
C1203	Donkey F(ab)2 Anti-Chicken IgY/IgG (H&L)-AMCA Adsorbed Against:	http://www.leinco.com/Secondary-Antibody/IgG/IgY-HL/PC1203-p-2815	0.3 mg	145
C1211	Donkey F(ab)2 Anti-Chicken IgY/IgG (H&L)-Biotin Adsorbed Against:	http://www.leinco.com/Secondary-Antibody/IgY/IgG-HL/PC1211-p-2823	0.3 mg	130
C1206	Donkey F(ab)2 Anti-Chicken IgY/IgG (H&L)-Cy3 Adsorbed Against:	http://www.leinco.com/Secondary-Antibody/IgY/IgG-hl/PC1206-p-2818	0.3 mg	160
C1205	Donkey F(ab)2 Anti-Chicken IgY/IgG (H&L)-FITC Adsorbed Against:	http://www.leinco.com/Secondary-Antibody/IgY/IgG-HL/PC1205-p-2817	0.3 mg	125
C1212	Donkey F(ab)2 Anti-Chicken IgY/IgG (H&L)-Horseira Adsorbed Against:	http://www.leinco.com/Secondary-Antibody/IgY/IgG-HL/PC1212-p-2824	0.25 mg	150
C1207	Donkey F(ab)2 Anti-Chicken IgY/IgG (H&L)-Rhodami Adsorbed Against:	http://www.leinco.com/Secondary-Antibody/IgY/IgG-HL/PC1207-p-2819	0.3 mg	125
G720	Donkey F(ab)2 Anti-Goat IgG (H&L) - DyLight® 488 Adsorbed Against:	http://www.leinco.com/Secondary-Antibody/IgG-HL/PG720-p-5710	0.5 mg	249
G721	Donkey F(ab)2 Anti-Goat IgG (H&L) - DyLight® 550 Adsorbed Against:	http://www.leinco.com/Secondary-Antibody/IgG-HL/PG721-p-5712	0.5 mg	249
G722	Donkey F(ab)2 Anti-Goat IgG (H&L) - DyLight® 594 Adsorbed Against:	http://www.leinco.com/Secondary-Antibody/IgG-HL/PG722-p-5713	0.5 mg	249
G723	Donkey F(ab)2 Anti-Goat IgG (H&L) - DyLight® 650 Adsorbed Against:	http://www.leinco.com/Secondary-Antibody/IgG-HL/PG723-p-5714	0.5 mg	249
G619	Donkey F(ab)2 Anti-Goat IgG (H&L)-Alk Phos Adsorbed Against:	http://www.leinco.com/Secondary-Antibody/IgG-HL/PG619-p-2849	0.18 mg	185
G609	Donkey F(ab)2 Anti-Goat IgG (H&L)-AMCA Adsorbed Against:	http://www.leinco.com/Secondary-Antibody/IgG-HL/PG609-p-2839	0.3 mg	145
G617	Donkey F(ab)2 Anti-Goat IgG (H&L)-Biotin Adsorbed Against:	http://www.leinco.com/Secondary-Antibody/IgG-HL/PG617-p-2847	0.3 mg	150
G611	Donkey F(ab)2 Anti-Goat IgG (H&L)-FITC Adsorbed Against:	http://www.leinco.com/Secondary-Antibody/IgG-HL/PG611-p-2841	0.3 mg	125
G618	Donkey F(ab)2 Anti-Goat IgG (H&L)-Horse radish Pe Adsorbed Against:	http://www.leinco.com/Secondary-Antibody/IgG-HL/PG618-p-2848	0.24 mg	150
G608	Donkey F(ab)2 Anti-Goat IgG (H&L)-Purified No Ca Adsorbed Against:	http://www.leinco.com/Secondary-Antibody/IgG-HL/PG608-p-2838	0.5 mg	90
G614	Donkey F(ab)2 Anti-Goat IgG (H&L)-Rhodamine Red- Adsorbed Against:	http://www.leinco.com/Secondary-Antibody/IgG-HL/PG614-p-2844	0.3 mg	125
G613	Donkey F(ab)2 Anti-Goat IgG (H&L)-Rhodamine TRIT Adsorbed Against:	http://www.leinco.com/Secondary-Antibody/IgG-HL/PG613-p-2843	0.3 mg	125
M1345	Donkey F(ab)2 Anti-Mouse IgG (H&L) - DyLight ® 550 Adsorbed Against:	http://www.leinco.com/Secondary-Antibody/IgG-HL/PM1345-p-5736	0.5 mg	255
M1344	Donkey F(ab)2 Anti-Mouse IgG (H&L) - DyLight ®488 Adsorbed Against:	http://www.leinco.com/Secondary-Antibody/IgG-HL/PM1344-p-5735	0.5 mg	255
M1351	Donkey F(ab)2 Anti-Mouse IgG (H&L) - DyLight ®650 Adsorbed Against:	http://www.leinco.com/Secondary-Antibody/IgG-HL/PM1351-p-5742	0.5 mg	369
M1348	Donkey F(ab)2 Anti-Mouse IgG (H&L) - DyLight®488 Adsorbed Against:	http://www.leinco.com/Secondary-Antibody/IgG-HL/PM1348-p-5739	0.5 mg	369
M1349	Donkey F(ab)2 Anti-Mouse IgG (H&L) - DyLight®550 Adsorbed Against:	http://www.leinco.com/Secondary-Antibody/IgG-HL/PM1349-p-5740	0.5 mg	369
M1346	Donkey F(ab)2 Anti-Mouse IgG (H&L) - DyLight®594 Adsorbed Against:	http://www.leinco.com/Secondary-Antibody/IgG-HL/PM1346-p-5737	0.5 mg	255
M1350	Donkey F(ab)2 Anti-Mouse IgG (H&L) - DyLight®594 Adsorbed Against:	http://www.leinco.com/Secondary-Antibody/IgG-HL/PM1350-p-5741	0.5 mg	369
M1347	Donkey F(ab)2 Anti-Mouse IgG (H&L) - DyLight®650 Adsorbed Against:	http://www.leinco.com/Secondary-Antibody/IgG-HL/PM1347-p-5738	0.5 mg	255
M919	Donkey F(ab)2 Anti-Mouse IgG (H&L) Purified Adsorbed Against:	http://www.leinco.com/Secondary-Antibody/IgG-HL/PM919-p-1999	0.5 mg	165
M1172	Donkey F(ab)2 Anti-Mouse IgG (H&L)-Alk Phos Adsorbed Against:	http://www.leinco.com/Secondary-Antibody/IgG-HL/PM1172-p-2875	0.18 mg	185
M940	Donkey F(ab)2 Anti-Mouse IgG (H&L)-Alkaline Phos Adsorbed Against:	http://www.leinco.com/Secondary-Antibody/IgG-HL/PM940-p-2002	0.3 ml	220
M1162	Donkey F(ab)2 Anti-Mouse IgG (H&L)-AMCA Adsorbed Against:	http://www.leinco.com/Secondary-Antibody/IgG-HL/PM1162-p-2865	0.3 mg	145
M1170	Donkey F(ab)2 Anti-Mouse IgG (H&L)-Biotin Adsorbed Against:	http://www.leinco.com/Secondary-Antibody/IgG-HL/PM1170-p-2873	0.45 mg	150
M961	Donkey F(ab)2 Anti-Mouse IgG (H&L)-FITC Adsorbed Against:	http://www.leinco.com/Secondary-Antibody/IgG-HL/PM961-p-2005	0.3 mg	170
M1171	Donkey F(ab)2 Anti-Mouse IgG (H&L)-Horse radish P Adsorbed Against:	http://www.leinco.com/Secondary-Antibody/IgG-HL/PM1171-p-2874	0.24 mg	150
M933	Donkey F(ab)2 Anti-Mouse IgG (H&L)-Horse radish P Adsorbed Against:	http://www.leinco.com/Secondary-Antibody/IgG-HL/PM933-p-2001	0.3 ml	200

Ridgewood Research - Secondary Antibodies - Price List 2013

M1161	Donkey F(ab)2 Anti-Mouse IgG (H&L)-Purified No C Adsorbed Against:	http://www.leinco.com/Secondary-Antibody/IgG-HL/PM1161/-p-2864	0.5 mg	90
M926	Donkey F(ab)2 Anti-Mouse IgG (H&L)-Rhodamine (TR Adsorbed Against:	http://www.leinco.com/Secondary-Antibody/IgG-HL/PM926/-p-2000	0.3 mg	170
M1167	Donkey F(ab)2 Anti-Mouse IgG (H&L)-Rhodamine Red Adsorbed Against:	http://www.leinco.com/Secondary-Antibody/IgG-HL/PM1167/-p-2870	0.3 mg	125
M1166	Donkey F(ab)2 Anti-Mouse IgG (H&L)-Rhodamine TRI Adsorbed Against:	http://www.leinco.com/Secondary-Antibody/IgG-HL/PM1166/-p-2869	0.3 mg	125
M1168	Donkey F(ab)2 Anti-Mouse IgG (H&L)-Texas Red Adsorbed Against:	http://www.leinco.com/Secondary-Antibody/IgG-HL/PM1168/-p-2871	0.3 mg	140
R1297	Donkey F(ab)2 Anti-Rabbit IgG (H&L) - DyLight® 594 Adsorbed Against:	http://www.leinco.com/Secondary-Antibody/IgG-HL/PR1297/-p-5755	0.5 mg	249
R1298	Donkey F(ab)2 Anti-Rabbit IgG (H&L) - DyLight® 650 Adsorbed Against:	http://www.leinco.com/Secondary-Antibody/IgG-HL/PR1298/-p-5756	0.5 mg	249
R1295	Donkey F(ab)2 Anti-Rabbit IgG (H&L) - DyLight® 488 Adsorbed Against:	http://www.leinco.com/Secondary-Antibody/IgG-HL/PR1295/-p-5703	0.5 mg	249
R1296	Donkey F(ab)2 Anti-Rabbit IgG (H&L) - DyLight® 550 Adsorbed Against:	http://www.leinco.com/Secondary-Antibody/IgG-HL/PR1296/-p-5704	0.5 mg	249
R1203	Donkey F(ab)2 Anti-Rabbit IgG (H&L)-Alk Phos Adsorbed Against:	http://www.leinco.com/Secondary-Antibody/IgG-HL/PR1203/-p-2931	0.18 mg	185
R1193	Donkey F(ab)2 Anti-Rabbit IgG (H&L)-AMCA Adsorbed Against:	http://www.leinco.com/Secondary-Antibody/IgG-HL/PR1193/-p-2889	0.3 mg	145
R1201	Donkey F(ab)2 Anti-Rabbit IgG (H&L)-Biotin Adsorbed Against:	http://www.leinco.com/Secondary-Antibody/IgG-HL/PR1201/-p-2927	0.3 mg	150
R1196	Donkey F(ab)2 Anti-Rabbit IgG (H&L)-Cy3 Adsorbed Against:	http://www.leinco.com/Secondary-Antibody/IgG-HL/PR1196/-p-2892	0.3 mg	160
R1195	Donkey F(ab)2 Anti-Rabbit IgG (H&L)-FITC Adsorbed Against:	http://www.leinco.com/Secondary-Antibody/IgG-HL/PR1195/-p-2891	0.3 mg	125
R1202	Donkey F(ab)2 Anti-Rabbit IgG (H&L)-Horseradish Adsorbed Against:	http://www.leinco.com/Secondary-Antibody/IgG-HL/PR1202/-p-2928	0.24 mg	150
R1192	Donkey F(ab)2 Anti-Rabbit IgG (H&L)-Purified No Adsorbed Against:	http://www.leinco.com/Secondary-Antibody/IgG-HL/PR1192/-p-2888	0.5 mg	50
R1198	Donkey F(ab)2 Anti-Rabbit IgG (H&L)-Rhodamine Re Adsorbed Against:	http://www.leinco.com/Secondary-Antibody/IgG-HL/PR1198/-p-2924	0.3 mg	125
R1197	Donkey F(ab)2 Anti-Rabbit IgG (H&L)-Rhodamine-TR Adsorbed Against:	http://www.leinco.com/Secondary-Antibody/IgG-HL/PR1197/-p-2923	0.3 mg	125
R1303	Donkey F(ab)2 Anti-Rat IgG (H&L) - DyLight® 488 Adsorbed Against:	http://www.leinco.com/Secondary-Antibody/IgG-HL/PR1303/-p-5766	0.5 mg	399
R1307	Donkey F(ab)2 Anti-Rat IgG (H&L) - DyLight® 488 Adsorbed Against:	http://www.leinco.com/Secondary-Antibody/IgG-HL/PR1307/-p-5770	0.5 mg	219
R1304	Donkey F(ab)2 Anti-Rat IgG (H&L) - DyLight® 550 Adsorbed Against:	http://www.leinco.com/Secondary-Antibody/IgG-HL/PR1304/-p-5767	0.5 mg	399
R1308	Donkey F(ab)2 Anti-Rat IgG (H&L) - DyLight® 550 Adsorbed Against:	http://www.leinco.com/Secondary-Antibody/IgG-HL/PR1308/-p-5771	0.5 mg	219
R1305	Donkey F(ab)2 Anti-Rat IgG (H&L) - DyLight® 594 Adsorbed Against:	http://www.leinco.com/Secondary-Antibody/IgG-HL/PR1305/-p-5768	0.5 mg	399
R1309	Donkey F(ab)2 Anti-Rat IgG (H&L) - DyLight® 594 Adsorbed Against:	http://www.leinco.com/Secondary-Antibody/IgG-HL/PR1309/-p-5772	0.5 mg	219
R1306	Donkey F(ab)2 Anti-Rat IgG (H&L) - DyLight® 650 Adsorbed Against:	http://www.leinco.com/Secondary-Antibody/IgG-HL/PR1306/-p-5769	0.5 mg	399
R1310	Donkey F(ab)2 Anti-Rat IgG (H&L) - DyLight® 650 Adsorbed Against:	http://www.leinco.com/Secondary-Antibody/IgG-HL/PR1310/-p-5773	0.5 mg	219
R1229	Donkey F(ab)2 Anti-Rat IgG (H&L)-Alk Phos Adsorbed Against:	http://www.leinco.com/Secondary-Antibody/IgG-HL/PR1229/-p-2965	0.18 mg	220
R1219	Donkey F(ab)2 Anti-Rat IgG (H&L)-AMCA Adsorbed Against:	http://www.leinco.com/Secondary-Antibody/IgG-HL/PR1219/-p-2955	0.3 mg/ml	200
R1227	Donkey F(ab)2 Anti-Rat IgG (H&L)-Biotin Adsorbed Against:	http://www.leinco.com/Secondary-Antibody/IgG-HL/PR1227/-p-2963	0.3 mg	200
R967	Donkey F(ab)2 Anti-Rat IgG (H&L)-Biotin Adsorbed Against:	http://www.leinco.com/Secondary-Antibody/IgG-HL/PR967/-p-2046	0.3 ml	150
R1221	Donkey F(ab)2 Anti-Rat IgG (H&L)-FITC Adsorbed Against:	http://www.leinco.com/Secondary-Antibody/IgG-HL/PR1221/-p-2957	0.3 mg	170
R1228	Donkey F(ab)2 Anti-Rat IgG (H&L)-Horseradish Per Adsorbed Against:	http://www.leinco.com/Secondary-Antibody/IgG-HL/PR1228/-p-2964	0.24 mg	200
R1218	Donkey F(ab)2 Anti-Rat IgG (H&L)-No Carrier Prot Adsorbed Against:	http://www.leinco.com/Secondary-Antibody/IgG-HL/PR1218/-p-2954	0.5 mg	165
R1224	Donkey F(ab)2 Anti-Rat IgG (H&L)-Rhodamine Red-X Adsorbed Against:	http://www.leinco.com/Secondary-Antibody/IgG-HL/PR1224/-p-2960	0.3 mg	170
R1223	Donkey F(ab)2 Anti-Rat IgG (H&L)-Rhodamine TRITC Adsorbed Against:	http://www.leinco.com/Secondary-Antibody/IgG-HL/PR1223/-p-2959	0.3 mg	170
R1225	Donkey F(ab)2 Anti-Rat IgG (H&L)-Texas Red Adsorbed Against:	http://www.leinco.com/Secondary-Antibody/IgG-HL/PR1225/-p-2961	0.3 mg	210

Ridgewood Research - Secondary Antibodies - Price List 2013

R951	Donkey F(ab)2 Anti-Rat IgG (H+L) - Purified Adsorbed Against:	http://www.leinco.com/Secondary-Antibody/Rat-IgG/PR951/-p-2042	0.5 mg	90
R963	Donkey F(ab)2 Anti-Rat IgG (H+L)-Alkaline Phosph Adsorbed Against:	http://www.leinco.com/Secondary-Antibody/IgG-HL/PR963/-p-2045	0.3 ml	185
R982	Donkey F(ab)2 Anti-Rat IgG (H+L)-AMCA Adsorbed Against:	http://www.leinco.com/Secondary-Antibody/IgG-HL/PR982/-p-2050	0.3 mg	135
R975	Donkey F(ab)2 Anti-Rat IgG (H+L)-Fluorescein Adsorbed Against:	http://www.leinco.com/Secondary-Antibody/IgG-HL/PR975/-p-2048	0.3 mg	125
R959	Donkey F(ab)2 Anti-Rat IgG (H+L)-Horseradish Per Adsorbed Against:	http://www.leinco.com/Secondary-Antibody/IgG/PR959/-p-2044	0.3 ml	150
R955	Donkey F(ab)2 Anti-Rat IgG (H+L)-Rhodamine (TRIT Adsorbed Against:	http://www.leinco.com/Secondary-Antibody/IgG-HL/PR955/-p-2043	0.3 mg	125
R998	Donkey F(ab)2 Anti-Rat IgG (H+L)-Rhodamine Red-X Adsorbed Against:	http://www.leinco.com/Secondary-Antibody/IgG-HL/PR998/-p-2054	0.3 mg	125
C1208	Donkey F(ab)2Anti-Chicken IgY/IgG (H&L)-Rhodamin Adsorbed Against:	http://www.leinco.com/Secondary-Antibody/IgY/IgG-HL/PC1208/-p-2820	0.3 mg	125
C1167	Goat Anti Chicken IgY/IgG (H&L) Purified No Carrier Protein Adsorbed Against:	http://www.leinco.com/Secondary-Antibody/IgY/IgG-HL/PC1167/-p-2485	1.0 mg	98
C1178	Goat Anti Chicken IgY/IgG (H&L)-Alk Phos Adsorbed Against:	http://www.leinco.com/Secondary-Antibody/IgY/IgG-HL/PC1178/-p-2497	0.5 ml	163
C1168	Goat Anti Chicken IgY/IgG (H&L)-AMCA Adsorbed Against:	http://www.leinco.com/Secondary-Antibody/IgY/IgG-HL/PC1168/-p-2486	0.5 mg	131
C1176	Goat Anti Chicken IgY/IgG (H&L)-Biotin Adsorbed Against:	http://www.leinco.com/Secondary-Antibody/IgY/IgG-HL/PC1176/-p-2495	0.6 mg	129
C1170	Goat Anti Chicken IgY/IgG (H&L)-FITC Adsorbed Against:	http://www.leinco.com/Secondary-Antibody/IgY/IgG-HL/PC1170/-p-2488	0.5 mg	110
C1177	Goat Anti Chicken IgY/IgG (H&L)-Horseradish Peroxidase Adsorbed Against:	http://www.leinco.com/Secondary-Antibody/IgY/IgG-HL/PC1177/-p-2496	0.4 mg	120
C1173	Goat Anti Chicken IgY/IgG (H&L)-Rhodamine Red X Adsorbed Against:	http://www.leinco.com/Secondary-Antibody/IgY/IgG-HL/PC1173/-p-2492	0.5 mg	110
C1172	Goat Anti Chicken IgY/IgG (H&L)-Rhodamine TRITC Adsorbed Against:	http://www.leinco.com/Secondary-Antibody/IgY/IgG-HL/PC1172/-p-2491	0.5 mg	110
C1174	Goat Anti Chicken IgY/IgG (H&L)-Texas Red Adsorbed Against:	http://www.leinco.com/Secondary-Antibody/IgY/IgG-HL/PC1174/-p-2493	0.5 mg	135
P177	Goat Anti Pig IgG (H&L)-Horseradish Peroxidase Adsorbed Against:	http://www.leinco.com/Secondary-Antibody/IgG-HL/PP177/-p-2582	2.0 ml	184
S233	Goat Anti- Syrian Hamster IgG (H+L)-Cy3 Adsorbed Against:	http://www.leinco.com/Secondary-Antibody/IgG-HL/PS233/-p-1812	0.5 ml	185
S239	Goat Anti- Syrian Hamster IgG (H+L)-Rhodamine Red-X Adsorbed Against:	http://www.leinco.com/Secondary-Antibody/IgG-HL/PS239/-p-1818	1.0 mg	150
A417	Goat Anti-Armenian Hamster IgG (H&L) - DyLight® 650 Adsorbed Against:	http://www.leinco.com/Secondary-Antibody/IgG-HL/PA417/-p-5464	0.5 mg	239
A414	Goat Anti-Armenian Hamster IgG (H&L) - DyLight® 488 Adsorbed Against:	http://www.leinco.com/Secondary-Antibody/IgG-HL/PA414/-p-5461	0.5 mg	239
A415	Goat Anti-Armenian Hamster IgG (H&L) - DyLight® 550 Adsorbed Against:	http://www.leinco.com/Secondary-Antibody/IgG-HL/PA415/-p-5462	0.5 mg	239
A416	Goat Anti-Armenian Hamster IgG (H&L) - DyLight® 594 Adsorbed Against:	http://www.leinco.com/Secondary-Antibody/IgG-HL/PA416/-p-5463	0.5 mg	239
A124	Goat Anti-Armenian Hamster IgG (H&L) Purified No Carrier Protein Adsorbed Against:	http://www.leinco.com/Secondary-Antibody/IgG-HL/PA124/-p-23	1.0 mg	140
A130	Goat Anti-Armenian Hamster IgG (H&L)-Alkaline Phosphatase Adsorbed Against:	http://www.leinco.com/Secondary-Antibody/IgG-HL/PA130/-p-1782	0.3 mg	185
A238	Goat Anti-Armenian Hamster IgG (H&L)-Allophycocyanin Adsorbed Against:	http://www.leinco.com/Secondary-Antibody/IgG-HL/PA238/-p-2930	0.5 ml	240
A138	Goat Anti-Armenian Hamster IgG (H&L)-AMCA Adsorbed Against:	http://www.leinco.com/Secondary-Antibody/IgG-HL/PA138/-p-1786	0.5 mg	170
A132	Goat Anti-Armenian Hamster IgG (H&L)-Biotin Adsorbed Against:	http://www.leinco.com/Secondary-Antibody/IgG-HL/PA132/-p-1783	0.5 ml	175
A136	Goat Anti-Armenian Hamster IgG (H&L)-FITC Adsorbed Against:	http://www.leinco.com/Secondary-Antibody/IgG-HL/PA136/-p-1785	0.5 mg	145
A127	Goat Anti-Armenian Hamster IgG (H&L)-Horseradish Peroxidase Adsorbed Against:	http://www.leinco.com/Secondary-Antibody/IgG-HL/PA127/-p-2711	1.2 mg	135
A128	Goat Anti-Armenian Hamster IgG (H&L)-Horseradish Peroxidase Adsorbed Against:	http://www.leinco.com/Secondary-Antibody/IgG-HL/PA128/-p-1781	0.5 ml	175
A237	Goat Anti-Armenian Hamster IgG (H&L)-R-phycoerythrin Adsorbed Against:	http://www.leinco.com/Secondary-Antibody/IgG-HL/PA237/-p-2929	1.0 ml	240
A126	Goat Anti-Armenian Hamster IgG (H&L)-Rhodamine (TRITC) Adsorbed Against:	http://www.leinco.com/Secondary-Antibody/IgG-HL/PA126/-p-1780	0.5 mg	145
A146	Goat Anti-Armenian Hamster IgG (H&L)-Rhodamine Red-X Adsorbed Against:	http://www.leinco.com/Secondary-Antibody/IgG-HL/PA146/-p-1790	0.5 mg	145
C1596	Goat Anti-Chicken IgY/IgG (H&L) - DyLight® 405 Adsorbed Against:	http://www.leinco.com/Secondary-Antibody/IgY/IgG-HL/PC1596/-p-5454	0.5 mg	219

Ridgewood Research - Secondary Antibodies - Price List 2013

C1595	Goat Anti-Chicken IgY/IgG (H&L) - DyLight® 488 Adsorbed Against:	http://www.leinco.com/Secondary-Antibody/IgY/IgG-HL/PC1595/-p-5451	0.5 mg	219
C1594	Goat Anti-Chicken IgY/IgG (H&L) - DyLight® 550 Adsorbed Against:	http://www.leinco.com/Secondary-Antibody/IgY/IgG-HL/PC1594/-p-5450	0.5 mg	219
C1597	Goat Anti-Chicken IgY/IgG (H&L) - DyLight® 650 Adsorbed Against:	http://www.leinco.com/Secondary-Antibody/IgY/IgG-HL/PC1597/-p-5456	0.5 mg	219
H1655	Goat Anti-Human IgG (H&L) - DyLight® 350 Adsorbed Against:	http://www.leinco.com/Secondary-Antibody/IgG-HL/PH1655/-p-6779	1.0 mg	98
H1656	Goat Anti-Human IgG (H&L) - DyLight® 405 Adsorbed Against:	http://www.leinco.com/Secondary-Antibody/IgG-HL/PH1656/-p-6780	1.0 mg	98
H1657	Goat Anti-Human IgG (H&L) - DyLight® 488 Adsorbed Against:	http://www.leinco.com/Secondary-Antibody/IgG-HL/PH1657/-p-6781	1.0 mg	98
H1658	Goat Anti-Human IgG (H&L) - DyLight® 550 Adsorbed Against:	http://www.leinco.com/Secondary-Antibody/IgG-HL/PH1658/-p-6782	1.0 mg	98
H1659	Goat Anti-Human IgG (H&L) - DyLight® 594 Adsorbed Against:	http://www.leinco.com/Secondary-Antibody/IgG-HL/PH1659/-p-6783	1.0 mg	98
H1660	Goat Anti-Human IgG (H&L) - DyLight® 633 Adsorbed Against:	http://www.leinco.com/Secondary-Antibody/IgG-HL/PH1660/-p-6784	1.0 mg	98
H1661	Goat Anti-Human IgG (H&L) - DyLight® 650 Adsorbed Against:	http://www.leinco.com/Secondary-Antibody/IgG-HL/PH1661/-p-6785	1.0 mg	98
H1662	Goat Anti-Human IgG (H&L) - DyLight® 680 Adsorbed Against:	http://www.leinco.com/Secondary-Antibody/IgG-HL/PH1662/-p-6786	1.0 mg	98
H1663	Goat Anti-Human IgG (H&L) - DyLight® 755 Adsorbed Against:	http://www.leinco.com/Secondary-Antibody/IgG-HL/PH1663/-p-6787	1.0 mg	98
H1664	Goat Anti-Human IgG (H&L) - DyLight® 800 Adsorbed Against:	http://www.leinco.com/Secondary-Antibody/IgG-HL/PH1664/-p-6788	1.0 mg	98
H1665	Goat Anti-Human IgG (H&L) - PerCP Adsorbed Against:	http://www.leinco.com/Secondary-Antibody/IgG-HL/PH1665/-p-6789	1.0 mg	158
H264	Goat Anti-Human IgG (H&L) Purified No Carrier Protein Adsorbed Against:	http://www.leinco.com/Secondary-Antibody/IgG-HL/PH264/-p-1823	1.0 mg	50
H554	Goat Anti-Human IgG (H&L) Purified No Carrier Protein Adsorbed Against:	http://www.leinco.com/Secondary-Antibody/IgG-HL/PH554/-p-1824	1.5 mg	90
H627	Goat Anti-Human IgG (H&L)-Alkaline Phosphatase Adsorbed Against:	http://www.leinco.com/Secondary-Antibody/IgG-HL/PH627/-p-1836	0.6 mg	160
H730	Goat Anti-Human IgG (H&L)-AMCA Adsorbed Against:	http://www.leinco.com/Secondary-Antibody/IgG-HL/PH730/-p-1854	1.5 mg	115
H651	Goat Anti-Human IgG (H&L)-Biotin Adsorbed Against:	http://www.leinco.com/Secondary-Antibody/IgG-HL/PH651/-p-1840	1.5 mg	125
H217	Goat Anti-Human IgG (H&L)-Fluorescein Adsorbed Against:	http://www.leinco.com/Secondary-Antibody/IgG-HL/PH217/-p-1821	0.5 mg	50
H699	Goat Anti-Human IgG (H&L)-Fluorescein Adsorbed Against:	http://www.leinco.com/Secondary-Antibody/IgG-HL/PH699/-p-1848	1.5 mg	105
H215	Goat Anti-Human IgG (H&L)-Horseradish Peroxidase Adsorbed Against:	http://www.leinco.com/Secondary-Antibody/IgG-HL/PH215/-p-1820	0.5 mg	67
H603	Goat Anti-Human IgG (H&L)-Horseradish Peroxidase Adsorbed Against:	http://www.leinco.com/Secondary-Antibody/IgG-HL/PH603/-p-1832	1.2 mg	125
H579	Goat Anti-Human IgG (H&L)-Rhodamine (TRITC) Adsorbed Against:	http://www.leinco.com/Secondary-Antibody/IgG-HL/PH579/-p-1828	1.5 mg	105
H836	Goat Anti-Human IgG (H&L)-Rhodamine Red-X Adsorbed Against:	http://www.leinco.com/Secondary-Antibody/IgG-HL/PH836/-p-1870	1.5 mg	105
H556	Goat Anti-Human IgG, Fc (Gamma) Fragment Specific Adsorbed Against:	http://www.leinco.com/Secondary-Antibody/IgG-Fc-Gamma/PH556/-p-1825	1.0 mg	95
H629	Goat Anti-Human IgG, Fc (Gamma) Fragment Specific-Alkaline Phosp Adsorbed Against:	http://www.leinco.com/Secondary-Antibody/IgG-Fc-Gamma-Fragment-Specific/PH629/-p-1837	0.6 mg	175
H732	Goat Anti-Human IgG, Fc (Gamma) Fragment Specific-AMCA Adsorbed Against:	http://www.leinco.com/Secondary-Antibody/IgG-Fc-Gamma-Fragment-Specific/PH732/-p-1855	1.0 mg	135
H653	Goat Anti-Human IgG, Fc (Gamma) Fragment Specific-Biotin Adsorbed Against:	http://www.leinco.com/Secondary-Antibody/IgG-Fc-Gamma-Fragment-Specific/PH653/-p-1841	1.4 mg	145
H701	Goat Anti-Human IgG, Fc (Gamma) Fragment Specific-Fluorescein Adsorbed Against:	http://www.leinco.com/Secondary-Antibody/IgG-Fc-Gamma-Fragment-Specific/PH701/-p-1849	1.0 mg	120
H605	Goat Anti-Human IgG, Fc (Gamma) Fragment Specific-Horseradish Pe Adsorbed Against:	http://www.leinco.com/Secondary-Antibody/IgG-Fc-Gamma-Fragment-Specific/PH605/-p-1833	0.8 mg	145
H581	Goat Anti-Human IgG, Fc (Gamma) Fragment Specific-Rhodamine (TRI) Adsorbed Against:	http://www.leinco.com/Secondary-Antibody/IgG-Fc-Gamma-Fragment-Specific/PH581/-p-1829	1.0 mg	120
H838	Goat Anti-Human IgG, Fc (Gamma) Fragment Specific-Rhodamine Red-Adsorbed Against:	http://www.leinco.com/Secondary-Antibody/IgG-Fc-Gamma-Fragment-Specific/PH838/-p-1871	1.0 mg	120
H1645	Goat Anti-Human IgM, Fc5µ Fragment Specific - DyLight® 650 Adsorbed Against:	http://www.leinco.com/Secondary-Antibody/IgM-Fc5Mu-Fragment-Specific/PH1645/-p-6727	0.5 mg	98
H551	Goat Anti-Human IgM, Fc5µ Fragment Specific Puri Adsorbed Against:	http://www.leinco.com/Secondary-Antibody/IgM-Fc5Mu-Fragment-Specific/PH551/-p-1875	1.5 mg	100
H624	Goat Anti-Human IgM, Fc5µ Fragment Specific-Alka Adsorbed Against:	http://www.leinco.com/Secondary-Antibody/IgM-Fc5Mu-Fragment-Specific/PH624/-p-1887	0.6 mg	170

Ridgewood Research - Secondary Antibodies - Price List 2013

H727	Goat Anti-Human IgM, Fc5 μ Fragment Specific-AMCA Adsorbed Against:	http://www.leinco.com/Secondary-Antibody/IgM-Fc5Mu-Fragment-Specific/PH727/p-1903	1.5 mg	130
H648	Goat Anti-Human IgM, Fc5 μ Fragment Specific-Biotin Adsorbed Against:	http://www.leinco.com/Secondary-Antibody/IgM-Fc5Mu-Fragment-Specific/PH648/p-1891	0.75 mg	145
H696	Goat Anti-Human IgM, Fc5 μ Fragment Specific-Fluo Adsorbed Against:	http://www.leinco.com/Secondary-Antibody/IgM-Fc5Mu-Fragment-Specific/PH696/p-1899	1.5 mg	115
H600	Goat Anti-Human IgM, Fc5 μ Fragment Specific-Hors Adsorbed Against:	http://www.leinco.com/Secondary-Antibody/IgM-Fc5Mu-Fragment-Specific/PH600/p-1883	1.2 mg	145
H576	Goat Anti-Human IgM, Fc5 μ Fragment Specific-Rhod Adsorbed Against:	http://www.leinco.com/Secondary-Antibody/IgM-Fc5Mu-Fragment-Specific/PH576/p-1879	1.5 mg	115
H833	Goat Anti-Human IgM, Fc5 μ Fragment Specific-Rhod Adsorbed Against:	http://www.leinco.com/Secondary-Antibody/IgM-Fc5Mu-Fragment-Specific/PH833/p-1919	1.5 mg	115
H672	Goat Anti-Human IgM, Fc5 μ Fragment Specific-Texas Red Adsorbed Against:	http://www.leinco.com/Secondary-Antibody/IgM-Fc5Mu-Fragment-Specific/PH672/p-1895	1.5 mg	135
H1501	Goat Anti-Human Serum IgA, Alpha Chain Specific - DyLight® 488 Adsorbed Against:	http://www.leinco.com/Secondary-Antibody/Serum-IgA-Alpha-Chain-Specific/PH1501/p-5476	1.5 mg	265
H1502	Goat Anti-Human Serum IgA, Alpha Chain Specific - DyLight® 550 Adsorbed Against:	http://www.leinco.com/Secondary-Antibody/Serum-IgA-Alpha-Chain-Specific/PH1502/p-5477	1.5 mg	265
H1503	Goat Anti-Human Serum IgA, Alpha Chain Specific - DyLight® 594 Adsorbed Against:	http://www.leinco.com/Secondary-Antibody/Serum-IgA-Alpha-Chain-Specific/PH1503/p-5478	1.5 mg	265
H1504	Goat Anti-Human Serum IgA, Alpha Chain Specific - DyLight® 650 Adsorbed Against:	http://www.leinco.com/Secondary-Antibody/Serum-IgA-Alpha-Chain-Specific/PH1504/p-5479	1.5 mg	265
H550	Goat Anti-Human Serum IgA, Alpha Chain Specific Purified Adsorbed Against:	http://www.leinco.com/Secondary-Antibody/Serum-IgA-Alpha-Chain-Specific/PH550/p-1874	2.0 mg	105
H623	Goat Anti-Human Serum IgA, Alpha Chain Specific-Alkaline Phospha Adsorbed Against:	http://www.leinco.com/Secondary-Antibody/Serum-IgA-Alpha-Chain-Specific/PH623/p-1886	0.6 mg	165
H726	Goat Anti-Human Serum IgA, Alpha Chain Specific-AMCA Adsorbed Against:	http://www.leinco.com/Secondary-Antibody/Serum-IgA-Alpha-Chain-Specific/PH726/p-1902	2.0 mg	140
H647	Goat Anti-Human Serum IgA, Alpha Chain Specific-Biotin Adsorbed Against:	http://www.leinco.com/Secondary-Antibody/Serum-IgA-Alpha-Chain-Specific/PH647/p-1890	2.2 mg	150
H695	Goat Anti-Human Serum IgA, Alpha Chain Specific-Fluorescein Adsorbed Against:	http://www.leinco.com/Secondary-Antibody/Serum-IgA-Alpha-Chain-Specific/PH695/p-1898	2.0 mg	125
H599	Goat Anti-Human Serum IgA, Alpha Chain Specific-Horseradish Pero Adsorbed Against:	http://www.leinco.com/Secondary-Antibody/Serum-IgA-Alpha-Chain-Specific/PH599/p-1882	1.6 mg	150
H575	Goat Anti-Human Serum IgA, Alpha Chain Specific-Rhodamine (TRITC Adsorbed Against:	http://www.leinco.com/Secondary-Antibody/Serum-IgA-Alpha-Chain-Specific/PH575/p-1878	2.0 mg	125
H832	Goat Anti-Human Serum IgA, Alpha Chain Specific-Rhodamine Red-X Adsorbed Against:	http://www.leinco.com/Secondary-Antibody/Serum-IgA-Alpha-Chain-Specific/PH832/p-1918	1.0 mg	125
M1258	Goat Anti-Mouse IgG (H&L) - APC Adsorbed Against:	http://www.leinco.com/Secondary-Antibody/IgG-HL/PM1258/p-4203	1.0 mg	98
M1364	Goat Anti-Mouse IgG (H&L) - Biotin Adsorbed Against:	http://www.leinco.com/Secondary-Antibody/IgG-HL/PM1364/p-5785	1.5 mg	135
M1374	Goat Anti-Mouse IgG (H&L) - DyLight® 350 Adsorbed Against:	http://www.leinco.com/Secondary-Antibody/IgG-HL/PM1374/p-6725	1.5 mg	122
M1376	Goat Anti-Mouse IgG (H&L) - DyLight® 350 Adsorbed Against:	http://www.leinco.com/Secondary-Antibody/IgG-HL/PM1376/p-6790	1.0 mg	135
M1375	Goat Anti-Mouse IgG (H&L) - DyLight® 405 Adsorbed Against:	http://www.leinco.com/Secondary-Antibody/IgG-HL/PM1375/p-6726	0.5 mg	98
M1377	Goat Anti-Mouse IgG (H&L) - DyLight® 405 Adsorbed Against:	http://www.leinco.com/Secondary-Antibody/IgG-HL/PM1377/p-6791	1.0 mg	135
M1327	Goat Anti-Mouse IgG (H&L) - DyLight® 488 Adsorbed Against:	http://www.leinco.com/Secondary-Antibody/IgG-HL/PM1327/p-5526	0.5 mg	193
M1331	Goat Anti-Mouse IgG (H&L) - DyLight® 488 Adsorbed Against:	http://www.leinco.com/Secondary-Antibody/IgG-HL/PM1331/p-5530	0.75 mg	98
M1378	Goat Anti-Mouse IgG (H&L) - DyLight® 488 Adsorbed Against:	http://www.leinco.com/Secondary-Antibody/IgG-HL/PM1378/p-6792	1.0 mg	105
M1328	Goat Anti-Mouse IgG (H&L) - DyLight® 550 Adsorbed Against:	http://www.leinco.com/Secondary-Antibody/IgG-HL/PM1328/p-5527	0.5 mg	193
M1332	Goat Anti-Mouse IgG (H&L) - DyLight® 550 Adsorbed Against:	http://www.leinco.com/Secondary-Antibody/IgG-HL/PM1332/p-5531	0.5 mg	110
M1379	Goat Anti-Mouse IgG (H&L) - DyLight® 550 Adsorbed Against:	http://www.leinco.com/Secondary-Antibody/IgG-HL/PM1379/p-6793	1.0 mg	135
M1329	Goat Anti-Mouse IgG (H&L) - DyLight® 594 Adsorbed Against:	http://www.leinco.com/Secondary-Antibody/IgG-HL/PM1329/p-5528	0.5 mg	193
M1333	Goat Anti-Mouse IgG (H&L) - DyLight® 594 Adsorbed Against:	http://www.leinco.com/Secondary-Antibody/IgG-HL/PM1333/p-5532	0.5 mg	155
M1380	Goat Anti-Mouse IgG (H&L) - DyLight® 594 Adsorbed Against:	http://www.leinco.com/Secondary-Antibody/IgG-HL/PM1380/p-6794	1.0 mg	135
M1381	Goat Anti-Mouse IgG (H&L) - DyLight® 633 Adsorbed Against:	http://www.leinco.com/Secondary-Antibody/IgG-HL/PM1381/p-6795	1.0 mg	135
M1330	Goat Anti-Mouse IgG (H&L) - DyLight® 650 Adsorbed Against:	http://www.leinco.com/Secondary-Antibody/IgG-HL/PM1330/p-5529	0.5 mg	193

Ridgewood Research - Secondary Antibodies - Price List 2013

M1334	Goat Anti-Mouse IgG (H&L) - DyLight® 650 Adsorbed Against:	http://www.leinco.com/Secondary-Antibody/IgG-HL/PM1334/-p-5533	1.5 mg	129
M1382	Goat Anti-Mouse IgG (H&L) - DyLight® 650 Adsorbed Against:	http://www.leinco.com/Secondary-Antibody/IgG-HL/PM1382/-p-6796	1.0 mg	135
M1383	Goat Anti-Mouse IgG (H&L) - DyLight® 680 Adsorbed Against:	http://www.leinco.com/Secondary-Antibody/IgG-HL/PM1383/-p-6797	1.0 mg	135
M1384	Goat Anti-Mouse IgG (H&L) - DyLight® 755 Adsorbed Against:	http://www.leinco.com/Secondary-Antibody/IgG-HL/PM1384/-p-6798	1.0 mg	135
M1385	Goat Anti-Mouse IgG (H&L) - DyLight® 800 Adsorbed Against:	http://www.leinco.com/Secondary-Antibody/IgG-HL/PM1385/-p-6799	1.0 mg	135
M113	Goat Anti-Mouse IgG (H&L) - FITC Adsorbed Against:	http://www.leinco.com/Secondary-Antibody/IgG-HL/PM113/-p-1932	0.5 mg	67
M1386	Goat Anti-Mouse IgG (H&L) - PerCP Adsorbed Against:	http://www.leinco.com/Secondary-Antibody/IgG-HL/PM1386/-p-6800	1.0 mg	135
M1189	Goat Anti-Mouse IgG (H&L) - R-PE Adsorbed Against:	http://www.leinco.com/Secondary-Antibody/IgG-HL/PM1189/-p-2897	0.5 mg	175
M1259	Goat Anti-Mouse IgG (H&L) - R-PE Adsorbed Against:	http://www.leinco.com/Secondary-Antibody/IgG-HL/PM1259/-p-4204	0.5 mg	87
M115	Goat Anti-Mouse IgG (H&L) Alkaline Phosphatase Adsorbed Against:	http://www.leinco.com/Secondary-Antibody/IgG-HL/PM115/-p-1934	0.5 mg	110
M1039	Goat Anti-Mouse IgG (H&L) Purified No Carrier Protein Adsorbed Against:	http://www.leinco.com/Secondary-Antibody/IgG-HL/PM1039/-p-1939	1.0 mg	129
M290	Goat Anti-Mouse IgG (H&L)-Alkaline Phosphatase Adsorbed Against:	http://www.leinco.com/Secondary-Antibody/IgG-HL/PM290/-p-1954	0.5 ml	185
M1185	Goat Anti-Mouse IgG (H&L)-AMCA Adsorbed Against:	http://www.leinco.com/Secondary-Antibody/IgG-HL/PM1185/-p-2893	0.5 mg	57
M392	Goat Anti-Mouse IgG (H&L)-AMCA Adsorbed Against:	http://www.leinco.com/Secondary-Antibody/IgG-HL/PM392/-p-1976	0.5 mg	170
M1188	Goat Anti-Mouse IgG (H&L)-Biotin Adsorbed Against:	http://www.leinco.com/Secondary-Antibody/IgG-HL/PM1188/-p-2896	1.5 mg	146
M313	Goat Anti-Mouse IgG (H&L)-Biotin (Long Chain Spacer) Adsorbed Against:	http://www.leinco.com/Secondary-Antibody/IgG-HL/PM313/-p-1959	0.5 mg	165
M359	Goat Anti-Mouse IgG (H&L)-FITC Adsorbed Against:	http://www.leinco.com/Secondary-Antibody/IgG-HL/PM359/-p-1969	0.5 mg	150
M1087	Goat Anti-Mouse IgG (H&L)-Horseradish Peroxidase Adsorbed Against:	http://www.leinco.com/Secondary-Antibody/IgG-HL/PM1087/-p-1949	0.4 mg	175
M114	Goat Anti-Mouse IgG (H&L)-Horseradish Peroxidase Adsorbed Against:	http://www.leinco.com/Secondary-Antibody/IgG-HL/PM114/-p-1933	0.5 mg	67
M111	Goat Anti-Mouse IgG (H&L)-Purified No Carrier Protein Adsorbed Against:	http://www.leinco.com/Secondary-Antibody/IgG-HL/PM111/-p-1930	1.0 mg	61
M1064	Goat Anti-Mouse IgG (H&L)-Rhodamine TRITC Adsorbed Against:	http://www.leinco.com/Secondary-Antibody/IgG-HL/PM1064/-p-1944	0.5 mg	150
M1186	Goat Anti-Mouse IgG (H&L)-Rhodamine TRITC Adsorbed Against:	http://www.leinco.com/Secondary-Antibody/IgG-HL/PM1186/-p-2894	1.5 mg	110
M1199	Goat Anti-Mouse IgG (H&L)-Texas Red Adsorbed Against:	http://www.leinco.com/Secondary-Antibody/IgG-HL/PM1199/-p-2914	0.5 mg	67
M1084	Goat Anti-Mouse IgG Fc (Gamma) Fragment Specific-Horseradish Per Adsorbed Against:	http://www.leinco.com/Secondary-Antibody/IgG-Fc-Gamma-Fragment/PM1084/-p-1947	1.2 mg	175
M1336	Goat Anti-Mouse IgG, Fc (Gamma) Fragment Specific - DyLight® 550 Adsorbed Against:	http://www.leinco.com/Secondary-Antibody/IgG-Fc-Gamma-Fragment-Specific/PM1336/-p-5535	1.0 mg	235
M1338	Goat Anti-Mouse IgG, Fc (Gamma) Fragment Specific - DyLight® 594 Adsorbed Against:	http://www.leinco.com/Secondary-Antibody/IgG-Fc-Gamma-Fragment-Specific/PM1338/-p-5555	1.0 mg	235
M1337	Goat Anti-Mouse IgG, Fc (Gamma) Fragment Specific - DyLight® 650 Adsorbed Against:	http://www.leinco.com/Secondary-Antibody/IgG-Fc-Gamma-Fragment-Specific/PM1337/-p-5536	1.0 mg	235
M1335	Goat Anti-Mouse IgG, Fc (Gamma) Fragment Specific - DyLight®488 Adsorbed Against:	http://www.leinco.com/Secondary-Antibody/IgG-Fc-Gamma-Fragment-Specific/PM1335/-p-5534	1.0 mg	235
M1036	Goat Anti-Mouse IgG, Fc (Gamma) Fragment Specific Purified Adsorbed Against:	http://www.leinco.com/Secondary-Antibody/IgG-Fc-Gamma-Fragment/PM1036/-p-1937	1.5 mg	110
M287	Goat Anti-Mouse IgG, Fc (Gamma) Fragment Specific-Alkaline Phosp Adsorbed Against:	http://www.leinco.com/Secondary-Antibody/IgG-Fc-Gamma-Fragment/PM287/-p-1952	0.6 mg	190
M389	Goat Anti-Mouse IgG, Fc (Gamma) Fragment Specific-AMCA Adsorbed Against:	http://www.leinco.com/Secondary-Antibody/IgG-Fc-Gamma-Fragment/PM389/-p-1974	1.5 mg	160
M310	Goat Anti-Mouse IgG, Fc (Gamma) Fragment Specific-Biotin Adsorbed Against:	http://www.leinco.com/Secondary-Antibody/IgG-Fc-Gamma-Fragment/PM310/-p-1957	1.65 mg	175
M356	Goat Anti-Mouse IgG, Fc (Gamma) Fragment Specific-Fluorescein Adsorbed Against:	http://www.leinco.com/Secondary-Antibody/IgG-Fc-Gamma-Fragment/PM356/-p-1967	1.5 mg	140
M1061	Goat Anti-Mouse IgG, Fc (Gamma) Fragment Specific-Rhodamine (TRI Adsorbed Against:	http://www.leinco.com/Secondary-Antibody/IgG-Fc-Gamma-Fragment/PM1061/-p-1942	1.5 mg	140
M507	Goat Anti-Mouse IgG, Fc (Gamma) Fragment Specific-Rhodamine Red-Adsorbed Against:	http://www.leinco.com/Secondary-Antibody/IgG-Fc-Gamma-Fragment/PM507/-p-1994	1.5 mg	140
M1038	Goat Anti-Mouse IgM, μ Chain Specific Adsorbed Against:	http://www.leinco.com/Secondary-Antibody/IgM-Mu-Chain/PM1038/-p-1938	1.5 mg	120

Ridgewood Research - Secondary Antibodies - Price List 2013

M1339	Goat Anti-Mouse IgM, μ Chain Specific - DyLight® 488 Adsorbed Against:	http://www.leinco.com/Secondary-Antibody/IgM-Micro-Chain-Specific/PM1339/-p-5572	1.0 mg	289
M1340	Goat Anti-Mouse IgM, μ Chain Specific - DyLight® 550 Adsorbed Against:	http://www.leinco.com/Secondary-Antibody/IgM-Micro-Chain-Specific/PM1340/-p-5573	1.0 mg	289
M1341	Goat Anti-Mouse IgM, μ Chain Specific - DyLight® 594 Adsorbed Against:	http://www.leinco.com/Secondary-Antibody/IgM-Micro-Chain-Specific/PM1341/-p-5574	1.0 mg	289
M1342	Goat Anti-Mouse IgM, μ Chain Specific - DyLight® 650 Adsorbed Against:	http://www.leinco.com/Secondary-Antibody/IgM-Micro-Chain-Specific/PM1342/-p-5575	1.0 mg	289
M358	Goat Anti-Mouse IgM, μ Chain Specific - FITC Adsorbed Against:	http://www.leinco.com/Secondary-Antibody/IgM-Micro-Chain/PM358/-p-1968	1.0 mg	145
M289	Goat Anti-Mouse IgM, μ Chain Specific-Alkaline Phosphatase Adsorbed Against:	http://www.leinco.com/Secondary-Antibody/IgM-Micro-Chain/PM289/-p-1953	1.0 ml	230
M391	Goat Anti-Mouse IgM, μ Chain Specific-AMCA Adsorbed Against:	http://www.leinco.com/Secondary-Antibody/IgM-Micro-Chain-Specific/PM391/-p-1975	1.5 mg	170
M312	Goat Anti-Mouse IgM, μ Chain Specific-Biotin Adsorbed Against:	http://www.leinco.com/Secondary-Antibody/IgM-Micro-Chain/PM312/-p-1958	1.5 ml	175
M1086	Goat Anti-Mouse IgM, μ Chain Specific-Horseradish Peroxidase Adsorbed Against:	http://www.leinco.com/Secondary-Antibody/IgM-Micro-Chain/PM1086/-p-1948	0.8 mg	175
M1063	Goat Anti-Mouse IgM, μ Chain Specific-Rhodamine (TRITC) Adsorbed Against:	http://www.leinco.com/Secondary-Antibody/IgM-Micro-Chain/PM1063/-p-1943	1.0 mg	145
M509	Goat Anti-Mouse IgM, μ Chain Specific-Rhodamine Red-X Adsorbed Against:	http://www.leinco.com/Secondary-Antibody/IgM-Micro-Chain/PM509/-p-1995	1.0 mg	145
M335	Goat Anti-Mouse IgM, μ Chain Specific-Texas Red Adsorbed Against:	http://www.leinco.com/Secondary-Antibody/IgM-Micro-Chain/PM335/-p-1963	1.0 mg	170
R116	Goat Anti-Rabbit IgG (H&L) - Alkaline Phosphatase Adsorbed Against:	http://www.leinco.com/Secondary-Antibody/IgG-HL/PR116/-p-2020	0.5 mg	105
R1319	Goat Anti-Rabbit IgG (H&L) - DyLight® 350 Adsorbed Against:	http://www.leinco.com/Secondary-Antibody/IgG-HL/PR1319/-p-6802	1.0 mg	125
R1320	Goat Anti-Rabbit IgG (H&L) - DyLight® 405 Adsorbed Against:	http://www.leinco.com/Secondary-Antibody/IgG-HL/PR1320/-p-6803	1.0 mg	125
R1275	Goat Anti-Rabbit IgG (H&L) - DyLight® 488 Adsorbed Against:	http://www.leinco.com/Secondary-Antibody/IgG-HL/PR1275/-p-5537	1 mg	235
R1321	Goat Anti-Rabbit IgG (H&L) - DyLight® 488 Adsorbed Against:	http://www.leinco.com/Secondary-Antibody/IgG-HL/PR1321/-p-6804	1.0 mg	125
R1276	Goat Anti-Rabbit IgG (H&L) - DyLight® 550 Adsorbed Against:	http://www.leinco.com/Secondary-Antibody/IgG-HL/PR1276/-p-5538	1.0 mg	235
R1322	Goat Anti-Rabbit IgG (H&L) - DyLight® 550 Adsorbed Against:	http://www.leinco.com/Secondary-Antibody/IgG-HL/PR1322/-p-6805	1.0 mg	125
R1277	Goat Anti-Rabbit IgG (H&L) - DyLight® 594 Adsorbed Against:	http://www.leinco.com/Secondary-Antibody/IgG-HL/PR1277/-p-5539	1.0 mg	235
R1323	Goat Anti-Rabbit IgG (H&L) - DyLight® 594 Adsorbed Against:	http://www.leinco.com/Secondary-Antibody/IgG-HL/PR1323/-p-6806	1.0 mg	125
R1324	Goat Anti-Rabbit IgG (H&L) - DyLight® 633 Adsorbed Against:	http://www.leinco.com/Secondary-Antibody/IgG-HL/PR1324/-p-6807	1.0 mg	125
R1278	Goat Anti-Rabbit IgG (H&L) - DyLight® 650 Adsorbed Against:	http://www.leinco.com/Secondary-Antibody/IgG-HL/PR1278/-p-5542	1.0 mg	235
R1325	Goat Anti-Rabbit IgG (H&L) - DyLight® 650 Adsorbed Against:	http://www.leinco.com/Secondary-Antibody/IgG-HL/PR1325/-p-6808	1.0 mg	125
R1326	Goat Anti-Rabbit IgG (H&L) - DyLight® 680 Adsorbed Against:	http://www.leinco.com/Secondary-Antibody/IgG-HL/PR1326/-p-6809	1.0 mg	125
R1327	Goat Anti-Rabbit IgG (H&L) - DyLight® 755 Adsorbed Against:	http://www.leinco.com/Secondary-Antibody/IgG-HL/PR1327/-p-6810	1.0 mg	125
R1328	Goat Anti-Rabbit IgG (H&L) - DyLight® 800 Adsorbed Against:	http://www.leinco.com/Secondary-Antibody/IgG-HL/PR1328/-p-6811	1.0 mg	125
R114	Goat Anti-Rabbit IgG (H&L) - FITC Adsorbed Against:	http://www.leinco.com/Secondary-Antibody/IgG-HL/PR114/-p-2018	0.5 mg	65
R1180	Goat Anti-Rabbit IgG (H&L) - FITC Adsorbed Against:	http://www.leinco.com/Secondary-Antibody/IgG-HL/PR1180/-p-2814	0.5 mg	105
R1329	Goat Anti-Rabbit IgG (H&L) - PerCP Adsorbed Against:	http://www.leinco.com/Secondary-Antibody/IgG-HL/PR1329/-p-6812	1.0 mg	125
R115	Goat Anti-Rabbit IgG (H&L) Horseradish Peroxidase Adsorbed Against:	http://www.leinco.com/Secondary-Antibody/IgG-HL/PR115/-p-2019	0.5 mg	63
R113	Goat Anti-Rabbit IgG (H&L) Purified Adsorbed Against:	http://www.leinco.com/Secondary-Antibody/IgG-HL/PR113/-p-2017	1.0 mg	65
R1177	Goat Anti-Rabbit IgG (H&L) Purified No Carrier Protein Adsorbed Against:	http://www.leinco.com/Secondary-Antibody/IgG-HL/PR1177/-p-2811	1.5 mg	110
R1191	Goat Anti-Rabbit IgG (H&L)-Alkaline Phosphatase Adsorbed Against:	http://www.leinco.com/Secondary-Antibody/IgG-HL/PR1191/-p-2837	1.0 mg	185
R1181	Goat Anti-Rabbit IgG (H&L)-AMCA Adsorbed Against:	http://www.leinco.com/Secondary-Antibody/IgG-HL/PR1181/-p-2826	1.5 mg	145
R1189	Goat Anti-Rabbit IgG (H&L)-Biotin Adsorbed Against:	http://www.leinco.com/Secondary-Antibody/IgG-HL/PR1189/-p-2835	1.5 mg	160

Ridgewood Research - Secondary Antibodies - Price List 2013

R1183	Goat Anti-Rabbit IgG (H&L)-FITC Adsorbed Against:	http://www.leinco.com/Secondary-Antibody/IgG-HL/PR1183/p-2829	1.5 mg	130
R1190	Goat Anti-Rabbit IgG (H&L)-Horseradish Peroxidase Adsorbed Against:	http://www.leinco.com/Secondary-Antibody/IgG-HL/PR1190/p-2836	1.5 mg	160
R1186	Goat Anti-Rabbit IgG (H&L)-Rhodamine Red-X Adsorbed Against:	http://www.leinco.com/Secondary-Antibody/IgG-HL/PR1186/p-2832	1.5 mg	130
R1185	Goat Anti-Rabbit IgG (H&L)-Rhodamine TRITC Adsorbed Against:	http://www.leinco.com/Secondary-Antibody/IgG-HL/PR1185/p-2831	1.5 mg	130
R1280	Goat Anti-Rat IgG (H&L) - DyLight® 488 Adsorbed Against:	http://www.leinco.com/Secondary-Antibody/IgG-HL/PR1280/p-5576	1.0 mg	229
R1281	Goat Anti-Rat IgG (H&L) - DyLight® 550 Adsorbed Against:	http://www.leinco.com/Secondary-Antibody/IgG-HL/PR1281/p-5577	1.0 mg	229
R1282	Goat Anti-Rat IgG (H&L) - DyLight® 594 Adsorbed Against:	http://www.leinco.com/Secondary-Antibody/IgG-HL/PR1282/p-5578	1.0 mg	229
R1283	Goat Anti-Rat IgG (H&L) - DyLight® 650 Adsorbed Against:	http://www.leinco.com/Secondary-Antibody/IgG-HL/PR1283/p-5579	1.0 mg	229
R1216	Goat Anti-Rat IgG (H&L)-Alk Phos Adsorbed Against:	http://www.leinco.com/Secondary-Antibody/IgG-HL/PR1216/p-2952	0.6 mg	185
R1205	Goat Anti-Rat IgG (H&L)-AMCA Adsorbed Against:	http://www.leinco.com/Secondary-Antibody/IgG-HL/PR1205/p-2933	1.5 mg	145
R1214	Goat Anti-Rat IgG (H&L)-Biotin Adsorbed Against:	http://www.leinco.com/Secondary-Antibody/IgG-HL/PR1214/p-2950	1.65 mg	160
R1207	Goat Anti-Rat IgG (H&L)-Cy2 Adsorbed Against:	http://www.leinco.com/Secondary-Antibody/IgG-HL/PR1207/p-2943	1.5 mg	219
R1209	Goat Anti-Rat IgG (H&L)-Cy3 Adsorbed Against:	http://www.leinco.com/Secondary-Antibody/IgG-HL/PR1209/p-2945	1.5 mg	219
R1213	Goat Anti-Rat IgG (H&L)-Cy5 Adsorbed Against:	http://www.leinco.com/Secondary-Antibody/IgG-HL/PR1213/p-2949	1.5 mg	219
R1208	Goat Anti-Rat IgG (H&L)-FITC Adsorbed Against:	http://www.leinco.com/Secondary-Antibody/IgG-HL/PR1208/p-2944	1.5 mg	130
R1215	Goat Anti-Rat IgG (H&L)-Horseradish Peroxidase Adsorbed Against:	http://www.leinco.com/Secondary-Antibody/IgG-HL/PR1215/p-2951	1.2 mg	160
R1204	Goat Anti-Rat IgG (H&L)-Purified No Carrier Protein Adsorbed Against:	http://www.leinco.com/Secondary-Antibody/IgG-HL/PR1204/p-2932	1.5 mg	110
R1211	Goat Anti-Rat IgG (H&L)-Rhodamine Red-X Adsorbed Against:	http://www.leinco.com/Secondary-Antibody/IgG-HL/PR1211/p-2947	1.5 mg	130
R1210	Goat Anti-Rat IgG (H&L)-Rhodamine TRITC Adsorbed Against:	http://www.leinco.com/Secondary-Antibody/IgG-HL/PR1210/p-2946	1.5 mg	130
R1284	Goat Anti-Rat IgG, Fc (Gamma) Fragment Specific - DyLight® 488 Adsorbed Against:	http://www.leinco.com/Secondary-Antibody/IgG-Fc-Gamma-Fragment-Specific/PR1284/p-5580	1.0 mg	229
R1285	Goat Anti-Rat IgG, Fc (Gamma) Fragment Specific - DyLight® 550 Adsorbed Against:	http://www.leinco.com/Secondary-Antibody/IgG-Fc-Gamma-Fragment-Specific/PR1285/p-5581	1.0 mg	229
R1286	Goat Anti-Rat IgG, Fc (Gamma) Fragment Specific - DyLight® 594 Adsorbed Against:	http://www.leinco.com/Secondary-Antibody/IgG-Fc-Gamma-Fragment-Specific/PR1286/p-5582	1.0 mg	239
R1287	Goat Anti-Rat IgG, Fc (Gamma) Fragment Specific - DyLight® 650 Adsorbed Against:	http://www.leinco.com/Secondary-Antibody/IgG-Fc-Gamma-Fragment-Specific/PR1287/p-5583	1 mg	229
R465	Goat Anti-Rat IgG, Fc (Gamma) Fragment Specific-FITC Adsorbed Against:	http://www.leinco.com/Secondary-Antibody/IgG-Fc-Gamma/PR465/p-2067	2.0 mg	140
R332	Goat Anti-Rat IgG, Fcy Fragment Specific-Purified No Carri Adsorbed Against:	http://www.leinco.com/Secondary-Antibody/IgG-FcGamma-Fragment-Specific/PR332/p-2055	1.5 mg	110
R399	Goat Anti-Rat IgG, Fcy Fragment Specific-Alkaline Phosphata Adsorbed Against:	http://www.leinco.com/Secondary-Antibody/IgG-FcGamma-Fragment-Specific/PR399/p-2061	1.0 ml	190
R496	Goat Anti-Rat IgG, Fcy Fragment Specific-AMCA Adsorbed Against:	http://www.leinco.com/Secondary-Antibody/IgG-FcGamma-Fragment-Specific/PR496/p-2070	2.0 mg	160
R421	Goat Anti-Rat IgG, Fcy Fragment Specific-Biotin Adsorbed Against:	http://www.leinco.com/Secondary-Antibody/IgG-FcGamma-Fragment-Specific/PR421/p-2063	1.5 ml	175
R575	Goat Anti-Rat IgG, Fcy Fragment Specific-Cy2 Adsorbed Against:	http://www.leinco.com/Secondary-Antibody/PR575/p-2076	1.5 mg	170
R518	Goat Anti-Rat IgG, Fcy Fragment Specific-Cy3 Adsorbed Against:	http://www.leinco.com/Secondary-Antibody/PR518/p-2072	1.5 mg	170
R541	Goat Anti-Rat IgG, Fcy Fragment Specific-Cy5 Adsorbed Against:	http://www.leinco.com/Secondary-Antibody/PR541/p-2074	1.5 mg	170
R377	Goat Anti-Rat IgG, Fcy Fragment Specific-Horseradish Peroxi Adsorbed Against:	http://www.leinco.com/Secondary-Antibody/IgG-Fc-Gamma-Fragment-Specific/PR377/p-2059	1.2 mg	175
R355	Goat Anti-Rat IgG, Fcy Fragment Specific-Rhodamine (TRITC) Adsorbed Against:	http://www.leinco.com/Secondary-Antibody/IgG-FcGamma-Fragment-Specific/PR355/p-2057	1.5 mg	140
R598	Goat Anti-Rat IgG, Fcy Fragment Specific-Rhodamine Red-X Adsorbed Against:	http://www.leinco.com/Secondary-Antibody/IgG-FcGamma-Fragment-Specific/PR598/p-2078	2.0 mg	140
S600	Goat Anti-Syrian Hamster IgG (H&L) - DyLight® 594 Adsorbed Against:	http://www.leinco.com/Secondary-Antibody/IgG-HL/PS600/p-5468	1.0 mg	339
S598	Goat Anti-Syrian Hamster IgG (H&L) - DyLight® 488 Adsorbed Against:	http://www.leinco.com/Secondary-Antibody/IgG-HL/PS598/p-5466	1.0 mg	339

Ridgewood Research - Secondary Antibodies - Price List 2013

S599	Goat Anti-Syrian Hamster IgG (H&L) - DyLight® 550 Adsorbed Against:	http://www.leinco.com/Secondary-Antibody/IgG-HL/PS599/-p-5467	1.0 mg	339
S601	Goat Anti-Syrian Hamster IgG (H&L) - DyLight® 650 Adsorbed Against:	http://www.leinco.com/Secondary-Antibody/IgG-HL/PS601/-p-5469	1.0 mg	339
S225	Goat Anti-Syrian Hamster IgG (H&L)-Biotin Adsorbed Against:	http://www.leinco.com/Secondary-Antibody/IgG-HL/PS225/-p-1804	1.1 mg	170
S229	Goat Anti-Syrian Hamster IgG (H&L)-FITC Adsorbed Against:	http://www.leinco.com/Secondary-Antibody/IgG/PS229/-p-1808	1.0 mg	150
S217	Goat Anti-Syrian Hamster IgG (H&L)-Purified No Carrier Protein Adsorbed Against:	http://www.leinco.com/Secondary-Antibody/IgG/PS217/-p-1796	0.5 ml	105
S223	Goat Anti-Syrian Hamster IgG (H+L)-Alkaline Phosphatase Adsorbed Against:	http://www.leinco.com/Secondary-Antibody/IgG-HL/PS223/-p-1802	0.3 mg	165
S231	Goat Anti-Syrian Hamster IgG (H+L)-AMCA Adsorbed Against:	http://www.leinco.com/Secondary-Antibody/IgG-HL/PS231/-p-1810	1.0 mg	170
S221	Goat Anti-Syrian Hamster IgG (H+L)-Horseradish Peroxidase Adsorbed Against:	http://www.leinco.com/Secondary-Antibody/IgG-HL/PS221/-p-1800	1.0 ml	170
S219	Goat Anti-Syrian Hamster IgG (H+L)-Rhodamine (TRITC) Adsorbed Against:	http://www.leinco.com/Secondary-Antibody/IgG-HL/PS219/-p-1798	1.0 mg	150
S227	Goat Anti-Syrian Hamster IgG (H+L)-Texas Red Adsorbed Against:	http://www.leinco.com/Secondary-Antibody/IgG-HL/PS227/-p-1806	1.0 mg	175
H1512	Goat F(ab)2 Anti-Human IgG (H&L) - DyLight® 550 Adsorbed Against:	http://www.leinco.com/Secondary-Antibody/IgG-HL/PH1512/-p-5720	0.75 mg	239
H1513	Goat F(ab)2 Anti-Human IgG (H&L) - DyLight® 594 Adsorbed Against:	http://www.leinco.com/Secondary-Antibody/IgG-HL/PH1513/-p-5721	0.75 mg	239
H1514	Goat F(ab)2 Anti-Human IgG (H&L) - DyLight® 650 Adsorbed Against:	http://www.leinco.com/Secondary-Antibody/IgG-HL/PH1514/-p-5722	0.75 mg	239
H1511	Goat F(ab)2 Anti-Human IgG (H&L) - DyLight®488 Adsorbed Against:	http://www.leinco.com/Secondary-Antibody/IgG-HL/PH1511/-p-5719	0.75 mg	239
H639	Goat F(ab)2 Anti-Human IgG (H&L)-Alkaline Phosph Adsorbed Against:	http://www.leinco.com/Secondary-Antibody/IgG-HL/PH639/-p-1838	0.3 mg	155
H742	Goat F(ab)2 Anti-Human IgG (H&L)-AMCA Adsorbed Against:	http://www.leinco.com/Secondary-Antibody/IgG-HL/PH742/-p-1856	1.0 mg	155
H663	Goat F(ab)2 Anti-Human IgG (H&L)-Biotin Adsorbed Against:	http://www.leinco.com/Secondary-Antibody/IgG-HL/PH663/-p-1842	0.55 mg	120
H711	Goat F(ab)2 Anti-Human IgG (H&L)-FITC Adsorbed Against:	http://www.leinco.com/Secondary-Antibody/IgG-HL/PH711/-p-2854	1.0 mg	140
H615	Goat F(ab)2 Anti-Human IgG (H&L)-Horseradish Per Adsorbed Against:	http://www.leinco.com/Secondary-Antibody/IgG-HL/PH615/-p-1834	0.4 mg	120
H1445	Goat F(ab)2 Anti-Human IgG (H&L)-Purified No Car Adsorbed Against:	http://www.leinco.com/Secondary-Antibody/IgG-HL/PH1445/-p-2850	1.0 mg	110
H848	Goat F(ab)2 Anti-Human IgG (H&L)-Rhodamine Red-X Adsorbed Against:	http://www.leinco.com/Secondary-Antibody/IgG-HL/PH848/-p-1872	1.0 mg	140
H591	Goat F(ab)2 Anti-Human IgG (H+L)-Rhodamine TRITC Adsorbed Against:	http://www.leinco.com/Secondary-Antibody/IgG-HL/PH591/-p-1830	1.0 mg	140
H568	Goat F(ab)2 Anti-Human IgG, Fc (Gamma) Fragment Adsorbed Against:	http://www.leinco.com/Secondary-Antibody/IgG-Fc-Gamma-Fragment/PH568/-p-1827	1.0 mg	135
H593	Goat F(ab)2 Anti-Human IgG, Fc (Gamma) Fragment Adsorbed Against:	http://www.leinco.com/Secondary-Antibody/IgG-Fc-Gamma-Fragment/PH593/-p-1831	1.0 mg	175
H617	Goat F(ab)2 Anti-Human IgG, Fc (Gamma) Fragment Adsorbed Against:	http://www.leinco.com/Secondary-Antibody/IgG-Fc-Gamma-Fragment/PH617/-p-1835	0.4 mg	150
H665	Goat F(ab)2 Anti-Human IgG, Fc (Gamma) Fragment Adsorbed Against:	http://www.leinco.com/Secondary-Antibody/IgG-Fc-Gamma-Fragment/PH665/-p-1843	0.55 mg	150
H713	Goat F(ab)2 Anti-Human IgG, Fc (Gamma) Fragment Adsorbed Against:	http://www.leinco.com/Secondary-Antibody/Human-IgG-Fc-Gamma-Fragment/PH713/-p-1851	1.0 mg	175
H744	Goat F(ab)2 Anti-Human IgG, Fc (Gamma) Fragment Adsorbed Against:	http://www.leinco.com/Secondary-Antibody/IgG-Fc-Gamma-Fragment/PH744/-p-1857	1.0 mg	195
H768	Goat F(ab)2 Anti-Human IgG, Fc (Gamma) Fragment Adsorbed Against:	http://www.leinco.com/Secondary-Antibody/IgG-Fc-Gamma-Fragment/PH768/-p-1861	1.0 mg	215
H850	Goat F(ab)2 Anti-Human IgG, Fc (Gamma) Fragment Adsorbed Against:	http://www.leinco.com/Secondary-Antibody/IgG-Fc-Gamma-Fragment/PH850/-p-1873	1.0 mg	175
H1515	Goat F(ab)2 Anti-Human IgG, Fc (Gamma) Fragment - DyLight® 488 Adsorbed Against:	http://www.leinco.com/Secondary-Antibody/IgG-Fc-Gamma-Fragment-Specific/PH1515/-p-5723	0.75 mg	285
H1516	Goat F(ab)2 Anti-Human IgG, Fc (Gamma) Fragment - DyLight® 550 Adsorbed Against:	http://www.leinco.com/Secondary-Antibody/IgG-Fc-Gamma-Fragment-Specific/PH1516/-p-5724	0.75 mg	285
H1517	Goat F(ab)2 Anti-Human IgG, Fc (Gamma) Fragment - DyLight® 594 Adsorbed Against:	http://www.leinco.com/Secondary-Antibody/IgG-Fc-Gamma-Fragment-Specific/PH1517/-p-5725	0.75 mg	285
H1518	Goat F(ab)2 Anti-Human IgG, Fc (Gamma) Fragment - DyLight® 650 Adsorbed Against:	http://www.leinco.com/Secondary-Antibody/IgG-Fc-Gamma-Fragment-Specific/PH1518/-p-5726	0.75 mg	285
H1472	Goat F(ab)2 Anti-Human IgM, Fc5µ Fragment Specific - Alk. Phos. Adsorbed Against:	http://www.leinco.com/Secondary-Antibody/IgM-Fc5Mu-Fragment/PH1472/-p-3812	0.3 mg	195
H739	Goat F(ab)2 Anti-Human IgM, Fc5µ Fragment Specific - AMCA Adsorbed Against:	http://www.leinco.com/Secondary-Antibody/Anti-Human-IgM-Fc5Mu-Fragment/PH739/-p-1905	1.0 mg	195

Ridgewood Research - Secondary Antibodies - Price List 2013

H660	Goat F(ab)2 Anti-Human IgM, Fc5µ Fragment Specific - Biotin Adsorbed Against:	http://www.leinco.com/Secondary-Antibody/IgM-Fc5Mu-Fragment/PH660/-p-1893	0.75 mg	145
H763	Goat F(ab)2 Anti-Human IgM, Fc5µ Fragment Specific - Cy3 Adsorbed Against:	http://www.leinco.com/Secondary-Antibody/IgM-Fc5Mu-Fragment/PH763/-p-1909	1.0 mg	205
H1519	Goat F(ab)2 Anti-Human IgM, Fc5µ Fragment Specific - DyLight® 488 Adsorbed Against:	http://www.leinco.com/Secondary-Antibody/IgM-Fc5Mu-Fragment-Specific/PH1519/-p-5727	0.75 mg	305
H1520	Goat F(ab)2 Anti-Human IgM, Fc5µ Fragment Specific - DyLight® 550 Adsorbed Against:	http://www.leinco.com/Secondary-Antibody/IgM-Fc5Mu-Fragment-Specific/PH1520/-p-5728	0.75 mg	305
H1521	Goat F(ab)2 Anti-Human IgM, Fc5µ Fragment Specific - DyLight® 594 Adsorbed Against:	http://www.leinco.com/Secondary-Antibody/IgM-Fc5Mu-Fragment-Specific/PH1521/-p-5729	0.75 mg	305
H1522	Goat F(ab)2 Anti-Human IgM, Fc5µ Fragment Specific - DyLight® 650 Adsorbed Against:	http://www.leinco.com/Secondary-Antibody/IgM-Fc5Mu-Fragment-Specific/PH1522/-p-5730	0.75 mg	305
H708	Goat F(ab)2 Anti-Human IgM, Fc5µ Fragment Specific - FITC Adsorbed Against:	http://www.leinco.com/Secondary-Antibody/IgM-Fc5Mu-Fragment/PH708/-p-1901	1.0 mg	175
H612	Goat F(ab)2 Anti-Human IgM, Fc5µ Fragment Specific - HRPO Adsorbed Against:	http://www.leinco.com/Secondary-Antibody/IgM-Fc5Mu-Fragment/PH612/-p-1885	0.4 mg	145
H563	Goat F(ab)2 Anti-Human IgM, Fc5µ Fragment Specific - Purified Adsorbed Against:	http://www.leinco.com/Secondary-Antibody/IgM-Fc5Mu-Fragment/PH563/-p-1877	1.0 mg	145
H588	Goat F(ab)2 Anti-Human IgM, Fc5µ Fragment Specific - Rhodamine TRITC Adsorbed Against:	http://www.leinco.com/Secondary-Antibody/IgM-Fc5Mu-Fragment/PH588/-p-1881	1.0 mg	175
H1523	Goat F(ab)2 Anti-Human Serum IgA, Alpha Chain Sp Adsorbed Against:	http://www.leinco.com/Secondary-Antibody/Serum-IgA-Alpha-Chain/PH1523/-p-5731	1.0 mg	220
H1524	Goat F(ab)2 Anti-Human Serum IgA, Alpha Chain Sp Adsorbed Against:	http://www.leinco.com/Secondary-Antibody/Serum-IgA-Alpha-Chain/PH1524/-p-5732	1.0 mg	220
H562	Goat F(ab)2 Anti-Human Serum IgA, Alpha Chain Sp Adsorbed Against:	http://www.leinco.com/Secondary-Antibody/Serum-IgA-Alpha-Chain/PH562/-p-1876	1.0 mg	120
H587	Goat F(ab)2 Anti-Human Serum IgA, Alpha Chain Sp Adsorbed Against:	http://www.leinco.com/Secondary-Antibody/Serum-IgA-Alpha-Chain/PH587/-p-1880	1.0 mg	160
H611	Goat F(ab)2 Anti-Human Serum IgA, Alpha Chain Sp Adsorbed Against:	http://www.leinco.com/Secondary-Antibody/Serum-IgA-Alpha-Chain/PH611/-p-1884	0.4 mg	145
H635	Goat F(ab)2 Anti-Human Serum IgA, Alpha Chain Sp Adsorbed Against:	http://www.leinco.com/Secondary-Antibody/Serum-IgA-Alpha-Chain/PH635/-p-1888	0.3 mg	190
H659	Goat F(ab)2 Anti-Human Serum IgA, Alpha Chain Sp Adsorbed Against:	http://www.leinco.com/Secondary-Antibody/Serum-IgA-Alpha-Chain/PH659/-p-1892	0.6 mg	145
H683	Goat F(ab)2 Anti-Human Serum IgA, Alpha Chain Sp Adsorbed Against:	http://www.leinco.com/Secondary-Antibody/Serum-IgA-Alpha-Chain/PH683/-p-1896	1.0 mg	185
H707	Goat F(ab)2 Anti-Human Serum IgA, Alpha Chain Sp Adsorbed Against:	http://www.leinco.com/Secondary-Antibody/Serum-IgA-Alpha-Chain/PH707/-p-1900	1.0 mg	160
H738	Goat F(ab)2 Anti-Human Serum IgA, Alpha Chain Sp Adsorbed Against:	http://www.leinco.com/Secondary-Antibody/Serum-IgA-Alpha-Chain-Specific/PH738/-p-1904	1.0 mg	180
H762	Goat F(ab)2 Anti-Human Serum IgA, Alpha Chain Sp Adsorbed Against:	http://www.leinco.com/Secondary-Antibody/Serum-IgA-Alpha-Chain/PH762/-p-1908	1.0 mg	195
H819	Goat F(ab)2 Anti-Human Serum IgA, Alpha Chain Sp Adsorbed Against:	http://www.leinco.com/Secondary-Antibody/Serum-IgA-Alpha-Chain/PH819/-p-1916	1.0 mg	195
H1525	Goat F(ab)2 Anti-Human Serum IgA, Alpha Chain Specific - DyLight® 594 Adsorbed Against:	http://www.leinco.com/Secondary-Antibody/Serum-IgA-Alpha-Chain/PH1525/-p-5733	1.0 mg	193
H1526	Goat F(ab)2 Anti-Human Serum IgA, Alpha Chain Specific - DyLight® 649 Adsorbed Against:	http://www.leinco.com/Secondary-Antibody/Serum-IgA-Alpha-Chain/PH1526/-p-5734	1.0 mg	193
H844	Goat F(ab)2 Anti-Human Serum IgA, Alpha Chain Specific - Rhodamine RED X Adsorbed Against:	http://www.leinco.com/Secondary-Antibody/Serum-IgA-Alpha-Chain/PH844/-p-1920	1.0 mg	160
H787	Goat F(ab)2 Anti-Human Serum IgA, Alpha Chain Specific-Cy5 Adsorbed Against:	http://www.leinco.com/Secondary-Antibody/Serum-IgA-Alpha-Chain/PH787/-p-1912	1.0 mg	193
M108	Goat F(ab)2 Anti-Mouse IgG (H&L) - AMCA Adsorbed Against:	http://www.leinco.com/Secondary-Antibody/IgG-HL/PM108/-p-1929	0.5 mg	75
M1387	Goat F(ab)2 Anti-Mouse IgG (H&L) - DyLight® 350 Adsorbed Against:	http://www.leinco.com/Secondary-Antibody/IgG-HL/PM1387/-p-6813	0.5 mg	110
M1388	Goat F(ab)2 Anti-Mouse IgG (H&L) - DyLight® 405 Adsorbed Against:	http://www.leinco.com/Secondary-Antibody/IgG-HL/PM1388/-p-6814	0.5 mg	110
M1389	Goat F(ab)2 Anti-Mouse IgG (H&L) - DyLight® 488 Adsorbed Against:	http://www.leinco.com/Secondary-Antibody/IgG-HL/PM1389/-p-6815	0.5 mg	110
M1353	Goat F(ab)2 Anti-Mouse IgG (H&L) - DyLight® 550 Adsorbed Against:	http://www.leinco.com/Secondary-Antibody/IgG-HL/PM1353/-p-5744	0.75 mg	219
M1390	Goat F(ab)2 Anti-Mouse IgG (H&L) - DyLight® 550 Adsorbed Against:	http://www.leinco.com/Secondary-Antibody/IgG-HL/PM1390/-p-6816	0.5 mg	110
M1354	Goat F(ab)2 Anti-Mouse IgG (H&L) - DyLight® 594 Adsorbed Against:	http://www.leinco.com/Secondary-Antibody/IgG-HL/PM1354/-p-5745	0.75 mg	219
M1391	Goat F(ab)2 Anti-Mouse IgG (H&L) - DyLight® 594 Adsorbed Against:	http://www.leinco.com/Secondary-Antibody/IgG-HL/PM1391/-p-6817	0.5 mg	110
M1392	Goat F(ab)2 Anti-Mouse IgG (H&L) - DyLight® 633 Adsorbed Against:	http://www.leinco.com/Secondary-Antibody/IgG-HL/PM1392/-p-6818	0.5 mg	110
M1355	Goat F(ab)2 Anti-Mouse IgG (H&L) - DyLight® 650 Adsorbed Against:	http://www.leinco.com/Secondary-Antibody/IgG-HL/PM1355/-p-5746	0.75 mg	219

Ridgewood Research - Secondary Antibodies - Price List 2013

M1393	Goat F(ab)2 Anti-Mouse IgG (H&L) - DyLight® 650 Adsorbed Against:	http://www.leinco.com/Secondary-Antibody/IgG-HL/PM1393/-p-6819	0.5 mg	110
M1394	Goat F(ab)2 Anti-Mouse IgG (H&L) - DyLight® 680 Adsorbed Against:	http://www.leinco.com/Secondary-Antibody/IgG-HL/PM1394/-p-6820	0.5 mg	110
M1395	Goat F(ab)2 Anti-Mouse IgG (H&L) - DyLight® 755 Adsorbed Against:	http://www.leinco.com/Secondary-Antibody/IgG-HL/PM1395/-p-6821	0.5 mg	110
M1396	Goat F(ab)2 Anti-Mouse IgG (H&L) - DyLight® 800 Adsorbed Against:	http://www.leinco.com/Secondary-Antibody/IgG-HL/PM1396/-p-6822	0.5 mg	110
M1352	Goat F(ab)2 Anti-Mouse IgG (H&L) - DyLight®488 Adsorbed Against:	http://www.leinco.com/Secondary-Antibody/IgG-HL/PM1352/-p-5743	0.75 mg	219
M102	Goat F(ab)2 Anti-Mouse IgG (H&L) - FITC Adsorbed Against:	http://www.leinco.com/Secondary-Antibody/IgG-HL/PM102/-p-1924	0.5 mg	74
M1397	Goat F(ab)2 Anti-Mouse IgG (H&L) - PerCP Adsorbed Against:	http://www.leinco.com/Secondary-Antibody/IgG-HL/PM1397/-p-6823	0.5 mg	110
M101	Goat F(ab)2 Anti-Mouse IgG (H&L) Allophycocyanin Adsorbed Against:	http://www.leinco.com/Secondary-Antibody/IgG-HL/PM101/-p-1923	0.5 ml	240
M112	Goat F(ab)2 Anti-Mouse IgG (H&L) Purified Adsorbed Against:	http://www.leinco.com/Secondary-Antibody/IgG-HL/PM112/-p-1931	1.0 mg	98
M1184	Goat F(ab)2 Anti-Mouse IgG (H&L)-Alk Phos Adsorbed Against:	http://www.leinco.com/Secondary-Antibody/IgG-HL/PM1184/-p-2887	0.3 mg	165
M104	Goat F(ab)2 Anti-Mouse IgG (H&L)-Alkaline Phosphatase Adsorbed Against:	http://www.leinco.com/Secondary-Antibody/IgG-HL/PM104/-p-1926	0.5 mg	132
M1174	Goat F(ab)2 Anti-Mouse IgG (H&L)-AMCA Adsorbed Against:	http://www.leinco.com/Secondary-Antibody/IgG-HL/PM1174/-p-2877	1.0 mg	160
M105	Goat F(ab)2 Anti-Mouse IgG (H&L)-Biotin Adsorbed Against:	http://www.leinco.com/Secondary-Antibody/IgG-HL/PM105/-p-1927	0.5 mg	98
M1182	Goat F(ab)2 Anti-Mouse IgG (H&L)-Biotin Adsorbed Against:	http://www.leinco.com/Secondary-Antibody/IgG-HL/PM1182/-p-2885	0.55 mg	125
M1176	Goat F(ab)2 Anti-Mouse IgG (H&L)-FITC Adsorbed Against:	http://www.leinco.com/Secondary-Antibody/IgG-HL/PM1176/-p-2879	1 mg	145
M1183	Goat F(ab)2 Anti-Mouse IgG (H&L)-Horseradish Per Adsorbed Against:	http://www.leinco.com/Secondary-Antibody/IgG-HL/PM1183/-p-2886	0.4 mg	125
M103	Goat F(ab)2 Anti-Mouse IgG (H&L)-Horseradish Peroxidase Adsorbed Against:	http://www.leinco.com/Secondary-Antibody/IgG-HL/PM103/-p-1925	0.5 mg	98
M1173	Goat F(ab)2 Anti-Mouse IgG (H&L)-Purified No Car Adsorbed Against:	http://www.leinco.com/Secondary-Antibody/IgG-HL/PM1173/-p-2876	1.0 mg	105
M100	Goat F(ab)2 Anti-Mouse IgG (H&L)-R-phycoerythrin Adsorbed Against:	http://www.leinco.com/Secondary-Antibody/IgG-HL/PM100/-p-1922	0.5 mg	110
M1179	Goat F(ab)2 Anti-Mouse IgG (H&L)-Rhodamine Red-X Adsorbed Against:	http://www.leinco.com/Secondary-Antibody/IgG-HL/PM1179/-p-2882	1.0 mg	130
M518	Goat F(ab)2 Anti-Mouse IgG (H&L)-Rhodamine Red-X Adsorbed Against:	http://www.leinco.com/Secondary-Antibody/IgG-HL/PM518/-p-2138	1.0 mg	145
M116	Goat F(ab)2 Anti-Mouse IgG (H&L)-Rhodamine TRITC Adsorbed Against:	http://www.leinco.com/Secondary-Antibody/IgG-HL/PM116/-p-1935	1.0 mg	145
M1178	Goat F(ab)2 Anti-Mouse IgG (H&L)-Rhodamine TRITC Adsorbed Against:	http://www.leinco.com/Secondary-Antibody/IgG-HL/PM1178/-p-2881	1.0 mg	145
M1049	Goat F(ab)2 Anti-Mouse IgG, Fc (Gamma) Fragment Adsorbed Against:	http://www.leinco.com/Secondary-Antibody/IgG-Fc-Gamma-Fragment/PM1049/-p-1940	1.0 mg	135
M1074	Goat F(ab)2 Anti-Mouse IgG, Fc (Gamma) Fragment Adsorbed Against:	http://www.leinco.com/Secondary-Antibody/IgG-Fc-Gamma-Fragment/PM1074/-p-1945	1.0 mg	180
M300	Goat F(ab)2 Anti-Mouse IgG, Fc (Gamma) Fragment Adsorbed Against:	http://www.leinco.com/Secondary-Antibody/IgG-Fc-Gamma-Fragment/PM300/-p-1955	0.5 ml	205
M369	Goat F(ab)2 Anti-Mouse IgG, Fc (Gamma) Fragment Adsorbed Against:	http://www.leinco.com/Secondary-Antibody/IgG/PM369/-p-1970	1.0 mg	160
M378	Goat F(ab)2 Anti-Mouse IgG, Fc (Gamma) Fragment Adsorbed Against:	http://www.leinco.com/Secondary-Antibody/IgG/PM378/-p-1972	1.0 ml	240
M425	Goat F(ab)2 Anti-Mouse IgG, Fc (Gamma) Fragment Adsorbed Against:	http://www.leinco.com/Secondary-Antibody/IgG-Fc-Gamma-Fragment/PM425/-p-1982	1.0 mg	225
M520	Goat F(ab)2 Anti-Mouse IgG, Fc (Gamma) Fragment Adsorbed Against:	http://www.leinco.com/Secondary-Antibody/IgG-Fc-Gamma-Fragment/PM520/-p-1997	1.0 mg	180
M1357	Goat F(ab)2 Anti-Mouse IgG, Fc (Gamma) Fragment - DyLight® 550 Adsorbed Against:	http://www.leinco.com/Secondary-Antibody/IgG-Fc-Gamma-Fragment/PM1357/-p-5748	0.75 mg	275
M1356	Goat F(ab)2 Anti-Mouse IgG, Fc (Gamma) Fragment - DyLight® 488 Adsorbed Against:	http://www.leinco.com/Secondary-Antibody/IgG-Fc-Gamma-Fragment/PM1356/-p-5747	0.75 mg	275
M1358	Goat F(ab)2 Anti-Mouse IgG, Fc (Gamma) Fragment - DyLight® 594 Adsorbed Against:	http://www.leinco.com/Secondary-Antibody/IgG-Fc-Gamma-Fragment/PM1358/-p-5749	0.75 mg	275
M402	Goat F(ab)2 Anti-Mouse IgG, Fc (Gamma) Fragment Specific - AMCA Adsorbed Against:	http://www.leinco.com/Secondary-Antibody/IgG/PM402/-p-1977	1.0 mg	205
M495	Goat F(ab)2 Anti-Mouse IgG, Fc (Gamma) Fragment Specific - Cy2 Adsorbed Against:	http://www.leinco.com/Secondary-Antibody/IgG-Fc-Gamma-Fragment/PM495/-p-1992	1.0 mg	225
M1359	Goat F(ab)2 Anti-Mouse IgG, Fc (Gamma) Fragment Specific - DyLight® 650 Adsorbed Against:	http://www.leinco.com/Secondary-Antibody/IgG-Fc-Gamma-Fragment/PM1359/-p-5750	0.75 mg	275

Ridgewood Research - Secondary Antibodies - Price List 2013

M450	Goat F(ab)2 Anti-Mouse IgG, Fc (Gamma) Fragment Specific-Cy5 Adsorbed Against:	http://www.leinco.com/Secondary-Antibody/IgG-Fc-Gamma-Fragment/PM450/-p-1987	1.0 mg	216
M346	Goat F(ab)2 Anti-Mouse IgG, Fc (Gamma) Fragment Specific-Texas Red Adsorbed Against:	http://www.leinco.com/Secondary-Antibody/IgG-Fc-Gamma-Fragment/PM346/-p-1965	1.0 mg	174
M1051	Goat F(ab)2 Anti-Mouse IgM, μ Chain Specific Adsorbed Against:	http://www.leinco.com/Secondary-Antibody/IgM-mu-Chain/PM1051/-p-1941	1.0 mg	160
M1076	Goat F(ab)2 Anti-Mouse IgM, μ Chain Specific Adsorbed Against:	http://www.leinco.com/Secondary-Antibody/IgM-Micro-Chain/PM1076/-p-1946	1.0 mg	210
M278	Goat F(ab)2 Anti-Mouse IgM, μ Chain Specific Adsorbed Against:	http://www.leinco.com/Secondary-Antibody/IgM-Micro-Chain/PM278/-p-1951	0.5 ml	190
M325	Goat F(ab)2 Anti-Mouse IgM, μ Chain Specific Adsorbed Against:	http://www.leinco.com/Secondary-Antibody/IgM-Micro-Chain/PM325/-p-1961	0.5 ml	180
M348	Goat F(ab)2 Anti-Mouse IgM, μ Chain Specific Adsorbed Against:	http://www.leinco.com/Secondary-Antibody/IgM-Micro-Chain/PM348/-p-1966	1.0 mg	245
M371	Goat F(ab)2 Anti-Mouse IgM, μ Chain Specific Adsorbed Against:	http://www.leinco.com/Secondary-Antibody/IgM-Micro-Chain/PM371/-p-1971	1.0 mg	210
M404	Goat F(ab)2 Anti-Mouse IgM, μ Chain Specific Adsorbed Against:	http://www.leinco.com/Secondary-Antibody/IgM/PM404/-p-1978	1.0 mg	215
M427	Goat F(ab)2 Anti-Mouse IgM, μ Chain Specific Adsorbed Against:	http://www.leinco.com/Secondary-Antibody/IgM-Micro-Chain/PM427/-p-1983	1.0 mg	255
M497	Goat F(ab)2 Anti-Mouse IgM, μ Chain Specific Adsorbed Against:	http://www.leinco.com/Secondary-Antibody/IgM-Micro-Chain/PM497/-p-1993	1.0 mg	255
M522	Goat F(ab)2 Anti-Mouse IgM, μ Chain Specific Adsorbed Against:	http://www.leinco.com/Secondary-Antibody/IgM-Micro-Chain-Specific/PM522/-p-1998	1.0 mg	210
M1360	Goat F(ab)2 Anti-Mouse IgM, μ Chain Specific - DyLight® 488 Adsorbed Against:	http://www.leinco.com/Secondary-Antibody/IgM-Micro-Chain/PM1360/-p-5751	0.75 mg	319
M1361	Goat F(ab)2 Anti-Mouse IgM, μ Chain Specific - DyLight® 550 Adsorbed Against:	http://www.leinco.com/Secondary-Antibody/IgM-Micro-Chain/PM1361/-p-5752	0.75 mg	315
M1362	Goat F(ab)2 Anti-Mouse IgM, μ Chain Specific - DyLight® 594 Adsorbed Against:	http://www.leinco.com/Secondary-Antibody/IgM-Micro-Chain/PM1362/-p-5753	0.75 mg	319
M1363	Goat F(ab)2 Anti-Mouse IgM, μ Chain Specific - DyLight® 650 Adsorbed Against:	http://www.leinco.com/Secondary-Antibody/IgM-Micro-Chain/PM1363/-p-5754	0.75 mg	319
M452	Goat F(ab)2 Anti-Mouse IgM, μ Chain Specific-Cy5 Adsorbed Against:	http://www.leinco.com/Secondary-Antibody/IgM-Micro-Chain/PM452/-p-1988	1.0 mg	248
M380	Goat F(ab)2 Anti-Mouse IgM, μ Chain Specific-R-phycoerythrin Adsorbed Against:	http://www.leinco.com/Secondary-Antibody/IgM-Micro-Chain/PM380/-p-1973	1.0 mg	230
R1330	Goat F(ab)2 Anti-Rabbit IgG (H&L) - DyLight® 350 Adsorbed Against:	http://www.leinco.com/Secondary-Antibody/IgG-HL/PR1330/-p-6827	0.5 mg	150
R1331	Goat F(ab)2 Anti-Rabbit IgG (H&L) - DyLight® 405 Adsorbed Against:	http://www.leinco.com/Secondary-Antibody/IgG-HL/PR1331/-p-6828	0.5 mg	150
R1299	Goat F(ab)2 Anti-Rabbit IgG (H&L) - DyLight® 488 Adsorbed Against:	http://www.leinco.com/Secondary-Antibody/IgG-HL/PR1299/-p-5757	0.75 mg	299
R1332	Goat F(ab)2 Anti-Rabbit IgG (H&L) - DyLight® 488 Adsorbed Against:	http://www.leinco.com/Secondary-Antibody/IgG-HL/PR1332/-p-6829	0.5 mg	150
R1300	Goat F(ab)2 Anti-Rabbit IgG (H&L) - DyLight® 550 Adsorbed Against:	http://www.leinco.com/Secondary-Antibody/IgG-HL/PR1300/-p-5763	0.75 mg	299
R1333	Goat F(ab)2 Anti-Rabbit IgG (H&L) - DyLight® 550 Adsorbed Against:	http://www.leinco.com/Secondary-Antibody/IgG-HL/PR1333/-p-6830	0.5 mg	150
R1301	Goat F(ab)2 Anti-Rabbit IgG (H&L) - DyLight® 594 Adsorbed Against:	http://www.leinco.com/Secondary-Antibody/IgG-HL/PR1301/-p-5764	0.75 mg	299
R1334	Goat F(ab)2 Anti-Rabbit IgG (H&L) - DyLight® 594 Adsorbed Against:	http://www.leinco.com/Secondary-Antibody/IgG-HL/PR1334/-p-6831	0.5 mg	150
R1335	Goat F(ab)2 Anti-Rabbit IgG (H&L) - DyLight® 633 Adsorbed Against:	http://www.leinco.com/Secondary-Antibody/IgG-HL/PR1335/-p-6832	0.5 mg	150
R1302	Goat F(ab)2 Anti-Rabbit IgG (H&L) - DyLight® 650 Adsorbed Against:	http://www.leinco.com/Secondary-Antibody/IgG-HL/PR1302/-p-5765	0.75 mg	299
R1336	Goat F(ab)2 Anti-Rabbit IgG (H&L) - DyLight® 650 Adsorbed Against:	http://www.leinco.com/Secondary-Antibody/IgG-HL/PR1336/-p-6833	0.5 mg	150
R1337	Goat F(ab)2 Anti-Rabbit IgG (H&L) - DyLight® 680 Adsorbed Against:	http://www.leinco.com/Secondary-Antibody/IgG-HL/PR1337/-p-6834	0.5 mg	150
R1338	Goat F(ab)2 Anti-Rabbit IgG (H&L) - DyLight® 755 Adsorbed Against:	http://www.leinco.com/Secondary-Antibody/IgG-HL/PR1338/-p-6835	0.5 mg	150
R1339	Goat F(ab)2 Anti-Rabbit IgG (H&L) - DyLight® 800 Adsorbed Against:	http://www.leinco.com/Secondary-Antibody/IgG-HL/PR1339/-p-6836	0.5 mg	150
R1340	Goat F(ab)2 Anti-Rabbit IgG (H&L) - PerCP Adsorbed Against:	http://www.leinco.com/Secondary-Antibody/IgG-HL/PR1340/-p-6837	0.5 mg	150
R104	Goat F(ab)2 Anti-Rabbit IgG (H&L) Alkaline Phosp Adsorbed Against:	http://www.leinco.com/Secondary-Antibody/IgG-HL/PR104/-p-2012	0.5 mg	125
R105	Goat F(ab)2 Anti-Rabbit IgG (H&L) Horseradish Peroxidase Adsorbed Against:	http://www.leinco.com/Secondary-Antibody/IgG-HL/PR105/-p-2013	0.5 mg	98
R117	Goat F(ab)2 Anti-Rabbit IgG (H&L) Purified Adsorbed Against:	http://www.leinco.com/Secondary-Antibody/IgG-HL/PR117/-p-2021	1.0 mg	89

Ridgewood Research - Secondary Antibodies - Price List 2013

R124	Goat F(ab)2 Anti-Rabbit IgG (H&L) Rhodamine TRITC Adsorbed Against:	http://www.leinco.com/Secondary-Antibody/IgG-HL/PR124/-p-2027	0.5 mg	110
R108	Goat F(ab)2 Anti-Rabbit IgG (H&L) Texas Red Adsorbed Against:	http://www.leinco.com/Secondary-Antibody/IgG-HL/PR108/-p-2015	0.5 mg	98
R128	Goat F(ab)2 Anti-Rabbit IgG (H&L)-Allophycocyanin Adsorbed Against:	http://www.leinco.com/Secondary-Antibody/IgG-HL/PR128/-p-2028	0.5 mg	266
R109	Goat F(ab)2 Anti-Rabbit IgG (H&L)-AMCA Adsorbed Against:	http://www.leinco.com/Secondary-Antibody/IgG-HL/PR109/-p-2016	0.5 mg	160
R106	Goat F(ab)2 Anti-Rabbit IgG (H&L)-Biotin Adsorbed Against:	http://www.leinco.com/Secondary-Antibody/IgG-HL/PR106/-p-2014	0.5 mg	110
R102	Goat F(ab)2 Anti-Rabbit IgG (H&L)-Fluorescein Adsorbed Against:	http://www.leinco.com/Secondary-Antibody/IgG-HL/PR102/-p-2011	0.5 mg	69
R101	Goat F(ab)2 Anti-Rabbit IgG (H&L)-R-phycoerythrin Adsorbed Against:	http://www.leinco.com/Secondary-Antibody/IgG-HL/PR101/-p-2010	0.5 mg	174
R318	Goat F(ab)2 Anti-Rabbit IgG (H&L)-Rhodamine Red- Adsorbed Against:	http://www.leinco.com/Secondary-Antibody/IgG-HL/PR318/-p-2144	1.0 mg	145
R1311	Goat F(ab)2 Anti-Rat IgG (H&L) - DyLight® 4 Adsorbed Against:	http://www.leinco.com/Secondary-Antibody/IgG-HL/PR1311/-p-5774	1.0 mg	200
R1312	Goat F(ab)2 Anti-Rat IgG (H&L) - DyLight® 5 Adsorbed Against:	http://www.leinco.com/Secondary-Antibody/IgG-HL/PR1312/-p-5775	1.0 mg	200
R1314	Goat F(ab)2 Anti-Rat IgG (H&L) - DyLight® 6 Adsorbed Against:	http://www.leinco.com/Secondary-Antibody/IgG-HL/PR1314/-p-5777	1.0 mg	200
R1313	Goat F(ab)2 Anti-Rat IgG (H&L) - DyLight® 594 Adsorbed Against:	http://www.leinco.com/Secondary-Antibody/IgG-HL/PR1313/-p-5776	1.0 mg	172
R1341	Goat F(ab)2 Anti-Rat IgG (H&L) - DyLight® 350 Adsorbed Against:	http://www.leinco.com/Secondary-Antibody/IgG-HL/PR1341/-p-6838	0.5 mg	150
R1342	Goat F(ab)2 Anti-Rat IgG (H&L) - DyLight® 405 Adsorbed Against:	http://www.leinco.com/Secondary-Antibody/IgG-HL/PR1342/-p-6839	0.5 mg	150
R1343	Goat F(ab)2 Anti-Rat IgG (H&L) - DyLight® 488 Adsorbed Against:	http://www.leinco.com/Secondary-Antibody/IgG-HL/PR1343/-p-6840	0.5 mg	150
R1344	Goat F(ab)2 Anti-Rat IgG (H&L) - DyLight® 550 Adsorbed Against:	http://www.leinco.com/Secondary-Antibody/IgG-HL/PR1344/-p-6841	0.5 mg	150
R1345	Goat F(ab)2 Anti-Rat IgG (H&L) - DyLight® 594 Adsorbed Against:	http://www.leinco.com/Secondary-Antibody/IgG-HL/PR1345/-p-6842	0.5 mg	150
R1346	Goat F(ab)2 Anti-Rat IgG (H&L) - DyLight® 633 Adsorbed Against:	http://www.leinco.com/Secondary-Antibody/IgG-HL/PR1346/-p-6843	0.5 mg	150
R1347	Goat F(ab)2 Anti-Rat IgG (H&L) - DyLight® 650 Adsorbed Against:	http://www.leinco.com/Secondary-Antibody/IgG-HL/PR1347/-p-6844	0.5 mg	150
R1348	Goat F(ab)2 Anti-Rat IgG (H&L) - DyLight® 680 Adsorbed Against:	http://www.leinco.com/Secondary-Antibody/IgG-HL/PR1348/-p-6845	0.5 mg	150
R1349	Goat F(ab)2 Anti-Rat IgG (H&L) - DyLight® 755 Adsorbed Against:	http://www.leinco.com/Secondary-Antibody/IgG-HL/PR1349/-p-6846	0.5 mg	150
R1350	Goat F(ab)2 Anti-Rat IgG (H&L) - DyLight® 800 Adsorbed Against:	http://www.leinco.com/Secondary-Antibody/IgG-HL/PR1350/-p-6847	0.5 mg	150
R120	Goat F(ab)2 Anti-Rat IgG (H&L) - FITC Adsorbed Against:	http://www.leinco.com/Secondary-Antibody/IgG-HL/PR120/-p-2023	0.5 mg	125
R1351	Goat F(ab)2 Anti-Rat IgG (H&L) - PerCP Adsorbed Against:	http://www.leinco.com/Secondary-Antibody/IgG-HL/PR1351/-p-6848	0.5 mg	150
R121	Goat F(ab)2 Anti-Rat IgG (H&L) - R-PE Adsorbed Against:	http://www.leinco.com/Secondary-Antibody/IgG-HL/PR121/-p-2024	0.5 mg	155
R123	Goat F(ab)2 Anti-Rat IgG (H&L) Alkaline Phosphatase Adsorbed Against:	http://www.leinco.com/Secondary-Antibody/IgG-HL/PR123/-p-2026	0.5 mg	125
R122	Goat F(ab)2 Anti-Rat IgG (H&L) Horseradish Peroxidase Adsorbed Against:	http://www.leinco.com/Secondary-Antibody/IgG-HL/PR122/-p-2025	0.5 mg	105
R119	Goat F(ab)2 Anti-Rat IgG (H&L) Purified Adsorbed Against:	http://www.leinco.com/Secondary-Antibody/IgG-HL/PR119/-p-2022	1.0 mg	89
R608	Goat F(ab)2 Anti-Rat IgG (H+L)-Rhodamine Red-X Adsorbed Against:	http://www.leinco.com/Secondary-Antibody/IgG/PR608/-p-2148	1.0 mg	145
R1316	Goat F(ab)2 Anti-Rat IgG, Fc (Gamma) Fragment Sp Adsorbed Against:	http://www.leinco.com/Secondary-Antibody/IgG-Fc-Gamma-Fragment/PR1316/-p-5780	1.0 mg	255
R1317	Goat F(ab)2 Anti-Rat IgG, Fc (Gamma) Fragment Sp Adsorbed Against:	http://www.leinco.com/Secondary-Antibody/IgG-Fc-Gamma-Fragment/PR1317/-p-5781	1.0 mg	255
R344	Goat F(ab)2 Anti-Rat IgG, Fc (Gamma) Fragment Sp Adsorbed Against:	http://www.leinco.com/Secondary-Antibody/IgG-Fc-Gamma-Fragment/PR344/-p-2056	1.0 mg	135
R367	Goat F(ab)2 Anti-Rat IgG, Fc (Gamma) Fragment Sp Adsorbed Against:	http://www.leinco.com/Secondary-Antibody/IgG-Fc-Gamma-Fragment/PR367/-p-2058	1.0 mg	180
R389	Goat F(ab)2 Anti-Rat IgG, Fc (Gamma) Fragment Sp Adsorbed Against:	http://www.leinco.com/Secondary-Antibody/IgG-Fc-Gamma-Fragment/PR389/-p-2060	0.5 ml	160
R411	Goat F(ab)2 Anti-Rat IgG, Fc (Gamma) Fragment Sp Adsorbed Against:	http://www.leinco.com/Secondary-Antibody/IgG-Fc-Gamma-Fragment/PR411/-p-2062	0.5 ml	205
R433	Goat F(ab)2 Anti-Rat IgG, Fc (Gamma) Fragment Sp Adsorbed Against:	http://www.leinco.com/Secondary-Antibody/IgG-Fc-Gamma-Fragment/PR433/-p-2064	0.5 ml	160

Ridgewood Research - Secondary Antibodies - Price List 2013

R477	Goat F(ab)2 Anti-Rat IgG, Fc (Gamma) Fragment Sp Adsorbed Against:	http://www.leinco.com/Secondary-Antibody/IgG-Fc-Gamma-Fragment/PR477/p-2068	1.0 mg	180
R485	Goat F(ab)2 Anti-Rat IgG, Fc (Gamma) Fragment Sp Adsorbed Against:	http://www.leinco.com/Secondary-Antibody/IgG-Fc-Gamma-Fragment-Specific/PR485/p-2069	0.5 mg	240
R508	Goat F(ab)2 Anti-Rat IgG, Fc (Gamma) Fragment Sp Adsorbed Against:	http://www.leinco.com/Secondary-Antibody/IgG-Fc-Gamma-Fragment/PR508/p-2071	1.0 mg	205
R530	Goat F(ab)2 Anti-Rat IgG, Fc (Gamma) Fragment Sp Adsorbed Against:	http://www.leinco.com/Secondary-Antibody/IgG-Fc-Gamma-Fragment/PR530/p-2073	1.0 mg	225
R587	Goat F(ab)2 Anti-Rat IgG, Fc (Gamma) Fragment Sp Adsorbed Against:	http://www.leinco.com/Secondary-Antibody/IgG-Fc-Gamma-Fragment/PR587/p-2077	1.0 mg	225
R610	Goat F(ab)2 Anti-Rat IgG, Fc (Gamma) Fragment Sp Adsorbed Against:	http://www.leinco.com/Secondary-Antibody/IgG-Fc-Gamma-Fragment/PR610/p-2079	1.0 mg	180
R1318	Goat F(ab)2 Anti-Rat IgG, Fc (Gamma) Fragment Specific - DyLight® 649 Adsorbed Against:	http://www.leinco.com/Secondary-Antibody/IgG-Fc-Gamma-Fragment/PR1318/p-5782	1.0 mg	225
R1315	Goat F(ab)2 Anti-Rat IgG, Fc (Gamma) Fragment Specific - DyLight® 488 Adsorbed Against:	http://www.leinco.com/Secondary-Antibody/IgG-Fc-Gamma-Fragment/PR1315/p-5779	1.0 mg	255
R554	Goat F(ab)2 Anti-Rat IgG, Fc (Gamma) Fragment Specific-Cy5 Adsorbed Against:	http://www.leinco.com/Secondary-Antibody/IgG-Fc-Gamma-Fragment/PR554/p-2075	1.0 mg	216
R455	Goat F(ab)2 Anti-Rat IgG, Fc (Gamma) Fragment Specific-Texas Red Adsorbed Against:	http://www.leinco.com/Secondary-Antibody/IgG-Fc-Gamma-Fragment/PR455/p-2066	1.0 mg	199
S608	Goat F(ab)2 Anti-Syrian Hamster IgG (H&L) - DyLi Adsorbed Against:	http://www.leinco.com/Secondary-Antibody/IgG-HL/PS608/p-5715	0.5 mg	225
S609	Goat F(ab)2 Anti-Syrian Hamster IgG (H&L) - DyLi Adsorbed Against:	http://www.leinco.com/Secondary-Antibody/IgG-HL/PS609/p-5716	0.5 mg	225
S610	Goat F(ab)2 Anti-Syrian Hamster IgG (H&L) - DyLi Adsorbed Against:	http://www.leinco.com/Secondary-Antibody/IgG-HL/PS610/p-5717	0.5 mg	225
S611	Goat F(ab)2 Anti-Syrian Hamster IgG (H&L) - DyLi Adsorbed Against:	http://www.leinco.com/Secondary-Antibody/IgG-HL/PS611/p-5718	0.5 mg	225
S226	Goat F(ab)2 Anti-Syrian Hamster IgG (H&L)-Biotin Adsorbed Against:	http://www.leinco.com/Secondary-Antibody/IgG-HL/PS226/p-1805	0.5 ml	160
S230	Goat F(ab)2 Anti-Syrian Hamster IgG (H&L)-FITC Adsorbed Against:	http://www.leinco.com/Secondary-Antibody/IgG-HL/PS230/p-1809	0.5 mg	175
S218	Goat F(ab)2 Anti-Syrian Hamster IgG (H&L)-Purifi Adsorbed Against:	http://www.leinco.com/Secondary-Antibody/IgG-HL/PS218/p-1797	0.5 mg	145
S224	Goat F(ab)2 Anti-Syrian Hamster IgG (H+L)-Alkali Adsorbed Against:	http://www.leinco.com/Secondary-Antibody/IgG-HL/PS224/p-1803	0.5 ml	190
S232	Goat F(ab)2 Anti-Syrian Hamster IgG (H+L)-AMCA Adsorbed Against:	http://www.leinco.com/Secondary-Antibody/IgG-HL/PS232/p-1811	0.5 mg	180
S222	Goat F(ab)2 Anti-Syrian Hamster IgG (H+L)-Horser Adsorbed Against:	http://www.leinco.com/Secondary-Antibody/IgG-HL/PS222/p-1801	0.5 ml	160
S220	Goat F(ab)2 Anti-Syrian Hamster IgG (H+L)-Rhodam Adsorbed Against:	http://www.leinco.com/Secondary-Antibody/IgG-HL/PS220/p-1799	0.5 mg	175
S240	Goat F(ab)2 Anti-Syrian Hamster IgG (H+L)-Rhodam Adsorbed Against:	http://www.leinco.com/Secondary-Antibody/IgG-HL/PS240/p-1819	0.5 mg	175
S228	Goat F(ab)2 Anti-Syrian Hamster IgG (H+L)-Texas Adsorbed Against:	http://www.leinco.com/Secondary-Antibody/IgG-HL/PS228/p-1807	0.5 mg	190